UNIVERSITAS BUDI LUHUR
FAKULTAS TEKNOLOGI INFORMAS
KAMPUS PUSAT : Jl. Raya Ciledug, Petukangan Utara, Jakarta Selatan 1226
Telp : (021) 5853753 (Hunting) Fax : (021) 7371164, 585375
Website : http://www.budiluhur.ac.i

KEPUTUSAN DEKAN FAKULTAS TEKNOLOGI INFORMASI
UNIVERSITAS BUDI LUHUR

NOMOR : K/UBL/FTI/000/004/03/24

TENTANG:
PENUGASAN KEGIATAN TRI DHARMA & PENUNJANG BAGI DOSEN
FAKULTAS TEKNOLOGI INFORMASI UNIVERSITAS BUDI LUHUR
SEMESTER GENAP TAHUN AKADEMIK 2023/2024

DEKAN FAKULTAS TEKNOLOGI INFORMASI UNIVERSITAS BUDI LUHUR

Menimbang :
1) Bahwa Dosen adalah pendidik profesional dan ilmu dengan tugas utama mentrans-formasikan, mengembangkan, dan menyebarluaskan ilmu pengetahuan, teknologi, dan seni melalui pendidikan/pengajaran penelitian & karya ilmiah, dan Pengabdian pada masyarakat yang dikenal dengan istilah Tri Dharma Perguruan Tinggi;
2) Bahwa untuk meningkatkan profesionalitas dan kompetensi sebagai pendidik profesional maka dipandang perlu untuk memberikan tugas-tugas tambahan/penunjang dalam lingkup kegiatan penunjang Tri Dharma;

Mengingat :
1) Undang – undang Republik Indonesia Nomor 12 Tahun 2012 tentang Pendidikan Tinggi;
2) Undang – undang Republik Indonesia Nomor 20 tahun 2003 tentang Sistem Pendidikan Nasional;
3) Peraturan Pemerintah Republik Indonesia Nomor 17 Tahun 2010 tentang Pengelolaan dan Penyelenggaraan Pendidikan;
4) Peraturan Menteri Riset, Teknologi, dan Pendidikan Tinggi Republik Indonesia Nomor 44 Tahun 2015 tentang Standar Nasional Pendidikan Tinggi;
5) Keputusan Ketua Yayasan Pendidikan Budi Luhur Cakti Nomor: K/YBLC/KEP/000/216/06/2023 tentang Statuta Universitas Budi Luhur;

M E M U T U S K A N

Menetapkan :

PERTAMA : Menugaskan dosen-dosen Fakultas Teknologi Informasi Universitas Budi Luhur untuk melaksanakan kegiatan **Tri Dharma Perguruan Tinggi dan penunjangnya** pada Semester Genap Tahun Akademik 2023/2024 yang meliputi:
a. **Kegiatan partisipasi aktif** dalam Pertemuan Ilmiah sebagai Ketua/Anggota/Peserta/Pembicara/Penulis/Narasumber pada kegiatan Seminar, Workshop, Konferensi, Pelatihan, Simposium, Lokakarya, Forum Diskusi, Sarasehan dan sejenisnya;
b. **Publikasi Ilmiah** pada Prosiding, Jurnal/majalah/surat kabar dan sejenisnya;
c. **Partisipasi dalam organisasi** profesi, organisasi keilmuan dan/atau organisasi lain yang menunjang kegiatan Tri Dharma Pendidikan Tinggi;
d. **Pengabdian Kepada Masyarakat (PPM)**, dalam kegiatan terprogram, terjadwal atau insidental;

KEDUA : Dosen-dosen yang melaksanakan penugasan wajib membuat Laporan Kegiatan, dengan mengikuti pedoman dari Fakultas/Program Studi, sebagai pertanggungjawaban atas kegiatan yang diikuti;

KETIGA : Kegiatan Tri Dharma yang tidak termasuk dalam surat keputusan ini akan memiliki penugasan tersendiri;

KEEMPAT : Keputusan ini berlaku sejak tanggal ditetapkan dan akan diubah sebagaimana mestinya apabila di kemudian hari terdapat kekeliruan.

Ditetapkan di : Jakarta
Tanggal : 1 Maret 2024

Dekan Fakultas Teknologi Informasi

Dr. Ir. Achmad Solichin, S.Kom., M.T.I

LAMPIRAN KEPUTUSAN DEKAN FAKULTAS TEKNOLOGI INFORMASI
UNIVERSITAS BUDI LUHUR

NOMOR : K/UBL/FTI/000/004/03/24

TENTANG:
PENUGASAN KEGIATAN TRI DHARMA & PENUNJANG BAGI DOSEN
FAKULTAS TEKNOLOGI INFORMASI UNIVERSITAS BUDI LUHUR
SEMESTER GENAP TAHUN AKADEMIK 2023/2024

No	NIDN	Nama Dosen	Program Studi
1	0324107203	Abdul Muis, Sobri, S.Ag., M.Kom	Teknik Informatika
2	0318017504	Acep Mardiyana, S.Kom., M.Kom	Sistem Informasi
3	0302068001	Achmad Aditya, AU, S.Kom., M.Kom	Teknik Informatika
4	0305118901	Achmad Ardiansyah, S.Kom., M.Kom	Teknik Informatika
5	0322018502	Agnes Aryasanti, S.Kom., M.Kom	Sistem Informasi
6	0315065602	Agung Prihartono, S.Kom., M.Kom	Sistem Informasi
7	0320038303	Agung Saputra, S.Kom., M.M.	Teknik Informatika
8	0309088302	Agus Umar Hamdani, S.Kom., M.Kom	Sistem Informasi
9	0304039102	Ahmad Pudoli, S.Kom., M.Kom	Teknik Informatika
10	8848870018	Andy Rio Handoko, S.Kom., M.M.S.I	Teknik Informatika
11	0314038803	Angga Kusuma Nugraha, M.Kom., M.Kom	Teknik Informatika
12	0316068301	Anita Diana, S.Kom., M.Kom	Sistem Informasi
13	0312127303	Anton Satria, Prabuwono, S.Si, S.T, Ph.D, M.M., M.Sc	Ilmu Komputer
14	0303129401	Anwar Rifa'i, S.Pd., M.Pd	Teknik Informatika
15	0328079201	Aqmal Maulana, S.Kom., M.Kom	Teknik Informatika
16	0315038601	Ari Saputro, S.Kom., M.Kom	Sistem Informasi
17	0330087506	Arman Yusuf, S.Kom., M.M	Teknik Informatika
18	0301027501	Arsanto Narendro, S.Kom., M.Kom	Teknik Informatika
19	0319097906	Asep Abdul, Rohman, S.Kom., M.Kom	Sistem Informasi
20	0320048401	Atik Ariesta, S.Kom., M.Kom	Sistem Informasi
21	0301048101	Basuki Hari, Prasetyo, S.Kom., M.Kom	Teknik Informatika
22	0319027202	Bruri Trya, Sartana, S.Kom., M.Kom	Sistem Informasi
23	0324127901	Denni Kurniawan, S.T., Ph.D., M.Sc	Ilmu Komputer
24	0303129201	Devit Setiono, S.Kom., M.Kom	Sistem Informasi
25	0310128401	Dewi Kusumaningsih, S.Kom., M.Kom	Sistem Informasi
26	0322018301	Dian Anubhakti, S.Kom., M.Kom	Sistem Informasi
27	0311098901	Dolly Virgian Shaka Yudha Sakti, S.Kom., M.Kom	Teknik Informatika
28	9990587693	Dr. Akhmad Unggul Priantoro	Ilmu Komputer
29	0311127802	Dr. Arif Bramantoro, S.T., S.T	Ilmu Komputer

No	NIDN	Nama Dosen	Program Studi
30	0319097803	Dr. Darmawan Baginda Napitupulu, M.Kom	Ilmu Komputer
31	0005017601	Dr. Imelda, S.Kom., M.Kom	Teknik Informatika
32	0322038603	Dr. Indra, S.Kom., M.T.I	Teknik Informatika
33	0305068201	Dr. Ir. Achmad Solichin, S.Kom., M.T.I	Ilmu Komputer
34	0007097901	Dr. Ir. Arief Wibowo, S.Kom., M.Kom	Sistem Informasi
35	0328127303	Dr. Ir. Deni Mahdiana, S.Kom., M.M., M.Kom	Sistem Informasi
36	0306027701	Dr. Ir. Gandung Triyono, S.Kom., M.Kom	Sistem Informasi
37	0324096902	Dr. Ir. Goenawan Brotosaputro, S.Kom., M.Sc	Sistem Informasi
38	0302046501	Dr. Ir. Jan Everhard Riwurohi, M.T	Sistem Komputer (1)
39	0422036901	Dr. Ir. Mardi Hardjianto, S.Kom., M.Kom	Sistem Informasi
40	0315117302	Dr. Ir. Utomo Budiyanto, S.Kom., M.Kom	Teknik Informatika
41	0320096102	Dr. Ir. Wendi Usino, S.Kom., M.M	Sistem Informasi
42	0316097401	Dr. Mohammad Syafrullah, S.Kom., M.Kom	Ilmu Komputer
43	0314126304	Dr. Muhamad Sadly	Ilmu Komputer
44	0303097901	Dr. Rusdah, S.Kom., M.Kom	Ilmu Komputer
45	0412017103	Dr. Samidi, S.Kom., M.M., M.Kom	Ilmu Komputer
46	0318016801	Dr. Yan Riyanto, M.Eng	Ilmu Komputer
47	0004105902	Dra. Dwi Achadiani, M.Kom	Sistem Komputer (2)
48	0328036602	Dra. Ririt Roeswidiah, M.Kom.	Teknik Informatika
49	0305036302	Drs. Djati Kusdiarto, M.M	Sistem Informasi
50	0324028005	Dwi Pebrianti, ST., M.eng., PH.d	Ilmu Komputer
51	0328028503	Dwi Puspita Anggraeni, S.T., M.T.	Teknik Informatika
52	0323088401	Ferdiansyah, S.Kom., M.T.I	Teknik Informatika
53	0321117301	Fx Bima Cahya S.Kom., M.Kom	Sistem Informasi
54	0319047501	Grace Gata, S.Kom., M.Kom	Sistem Informasi
55	0305026801	Gunawan Pria, Utama, S.Kom., M.Kom	Teknik Informatika
56	0308048501	Hadidtyo Wisnu Wardani, S.Kom., M.Kom	Teknik Informatika
57	0306058502	Haris Munandar, M.T.I	Teknik Informatika
58	0325058101	Hendri Irawan, S.Kom., MTI	Sistem Informasi
59	9903260690	Hestya Patrie, S.Kom., MSSE., M.Kom	Sistem Informasi
60	0320038704	Hillman Akhyar Damanik, S.Kom., M.Kom	Teknik Informatika
61	0303048001	Humisar Hasugian, S.Kom., M.Kom	Sistem Informasi
62	0302018604	Ika Susanti, S.Kom., M.Kom	Teknik Informatika
63	0317069301	Ikhsan Rahdiana, S.Kom., M.Kom	Teknik Informatika
64	0309069301	Iman Permana, S.Kom., M.Kom	Teknik Informatika

No	NIDN	Nama Dosen	Program Studi
65	0314049302	Indah Puspasari Handayani, S.Kom., M.Kom	Sistem Informasi
66	0318068702	Indra Nugraha Abdullah, S.Kom, Ph.D., M.Sc.	Ilmu Komputer
67	0323126401	Ir. Bullion Dragon, Andah, M.Kom.	Sistem Informasi
68	0411076603	Ir. Gatot Purwanto, M.M	Sistem Komputer ③
69	0317025801	Ir. Tatang Wirawan, Wisnuadji, M.Kom	Sistem Komputer ④
70	0305027401	Irawan, S.Kom., M.Kom	Sistem Komputer ⑤
71	0303118201	Ita Novita, S.Kom., M.T.I	Sistem Informasi
72	0312069205	Jeremy Jonathan, S.Kom., M.Kom	Sistem Informasi
73	0324118302	Joko Christian, S.Kom., M.Kom	Teknik Informatika
74	0303067601	Joko Sutrisno, S.Kom., M.Kom	Sistem Informasi
75	0307079301	Julaiha Probo Anggraini, S.Kom., M.Kom	Sistem Informasi
76	0305076701	Krisna Adiyarta, Ph.D	Ilmu Komputer
77	0319059103	Kukuh Harsanto, S.Kom., M.Kom	Sistem Informasi
78	0328017702	Lestari Margatama, S.Kom., M.Kom	Teknik Informatika
79	0317057603	Lihin, S.Kom., M.Kom	Sistem Informasi
80	0317058106	Lis Suryadi, S.Kom., M.Kom	Sistem Informasi
81	0325117805	Luhur Bayuaji, S.T., Ph.D., M.Eng	Ilmu Komputer
82	0307038703	Marini, S.Kom., M.Kom	Sistem Informasi
83	0308128901	Mepa Kurniasih, S.Kom., M.Kom	Teknik Informatika
84	0330127502	Merry Anggraeni, S.Kom., M.Kom	Teknik Informatika
85	0321117001	Mohammad Anif, S.Kom., M.Kom	Teknik Informatika
86	0311038203	Motika Dian Anggraeni, S.Kom., M.Kom	Sistem Informasi
87	0329067903	Mufti., S.T., M.Kom	Teknik Informatika
88	0301108606	Muhamad Salman Alfarisi, S.I.Kom., M.M.S.I.	Sistem Informasi
89	0329068201	Muhammad Ainur Rony, S.Kom., M.T.I	Teknik Informatika
90	0317077905	Nawindah, S.Kom., M.Kom	Sistem Informasi
91	0318077601	Nidya Kusumawardhany, S.Kom., M.Kom	Sistem Informasi
92	0315028502	Nofiyani, S.Kom., M.Kom	Sistem Informasi
93	0305078002	Noni Juliasari, S.Kom., M.Kom	Sistem Informasi
94	0315057803	Nurwati, S.Kom., M.Kom	Sistem Informasi
95	0302057901	Painem, S.Kom., M.Kom	Sistem Informasi
96	0411028601	Pepi Permatasari, S.Kom., M.Kom	Sistem Informasi
97	0322028201	Pipin Farida Ariyani, S.Kom., M.T.I	Teknik Informatika
98	0314056902	Prof. Dr. Ir. Hari Soetanto, S.Kom., M.Sc	Sistem Komputer ⑥

No	NIDN	Nama Dosen	Program Studi
99	8833923420	Prof. Dr. Moedjiono, M.Sc	Ilmu Komputer
100	0319087801	Purwanto, S.Si., M.Kom	Teknik Informatika
101	0308029102	Putri Hayati, S.T., M.Kom	Teknik Informatika
102	0330108801	Rahmat Oktavian, M.Kom	Teknik Informatika
103	0315069301	Ratna Kusumawardani, S.Kom., M.Kom	Sistem Informasi
104	0305128107	Ratna Ujian Dari, S.Kom., M.M	Sistem Informasi
105	0324038006	Retno Wulandari, S.Kom., M.Kom	Sistem Informasi
106	0317068301	Reva Ragam Santika, S.Kom., M.Kom	Teknik Informatika
107	0311118107	Riri Irawati, S.Kom., M.Kom	Sistem Komputer
108	0313048901	Riskiana Wulan, M.Kom	Teknik Informatika
109	0326039202	Riza Alamsyah, M.Kom	Sistem Informasi
110	0327068604	Rizka Tiaharyadini, S.Kom., M.M., M.Kom	Teknik Informatika
111	0324118802	Rizky Pradana, S.Kom., M.Kom	Sistem Informasi
112	0311068001	Rizky Tahara Shita, S.Kom., M.Kom	Teknik Informatika
113	0317098201	Safitri Juanita, S.Kom., M.T.I	Sistem Informasi
114	0322027501	Safrina Amini, S.Kom., M.Kom	Teknik Informatika
115	0329098202	Samsinar, S.Kom., M.Kom	Sistem Informasi
116	0305068203	Sejati Waluyo, S.Kom., M.Kom	Teknik Informatika
117	0326086304	Setyawan Widyarto, M.Sc., PH.d	Ilmu Komputer
118	0309097401	Sri Mulyati, S.Kom., M.Kom	Sistem Informasi
119	0410127104	Sri Wahyuningsih, S.Kom., M.Kom	Sistem Informasi
120	0312067402	Subandi, S.Kom., M.Kom	Teknik Informatika
121	0314097004	Subandi, S.Pd., M.M	Teknik Informatika
122	0305068605	Syamsudin Zubair, S.Kom., M.Kom	Teknik Informatika
123	0407127201	Teja Endra Eng, S.T., M.Kom	Sistem Informasi
124	0320127901	Titin Fatimah, S.Kom., M.Kom	Sistem Informasi
125	0317018702	Tri Ika Jaya Kusumawati, S.Kom., M.Kom	Sistem Informasi
126	0307038501	Wahyu Pramusinto, S.Kom., M.Kom	Teknik Informatika
127	0317048601	Windarto, S.Kom., M.Kom	Teknik Informatika
128	0322058003	Windhy Widhyanty, S.Kom., M.Kom	Teknik Informatika
129	0326047001	Wiwin Windihastuty, S.Kom., M.Kom	Sistem Informasi
130	0325098802	Wulandari, S.Kom., M.Kom	Sistem Informasi
131	0331057703	Yani Prabowo, S.Kom., M.Kom	Sistem Komputer
132	0316068702	Yesi Puspita Dewi, S.Kom., M.Kom	Sistem Informasi
133	0316017201	Yudi Santoso, S.Kom., M.Kom	Sistem Informasi

No	NIDN	Nama Dosen	Program Studi
134	0213068501	Yudi Wiharto, S.Kom., M.Kom	Teknik Informatika
135	0325078803	Yulianawati, S.Kom., M.Kom	Sistem Informasi
136	0329077501	Yuliazmi, S.Kom., M.Kom	Sistem Informasi
137	0320069003	Zaqi Kurniawan, S.Kom., M.Kom	Teknik Informatika

Ditetapkan di : Jakarta
Tanggal : 1 Maret 2024

Dekan Fakultas Teknologi Informasi

Dr. Ir. Achmad Solichin, S.Kom., M.T.I

9th International Conference on Mechatronics Engineering (ICOM'24)

13 -14 August 2024 || Kuala Lumpur

View Program Schedule

Download Program Book

We are happy to announce that the 2024 9th International Conference on Mechatronics Engineering (ICOM'24) has been

PUBLISHED

in the IEEE Xplore

View in IEEE Xplore

About

The 9th International Conference on Mechatronics Engineering (ICOM'24) is a series of conference organized by the Kulliyyah of Engineering, International Islamic University Malaysia (IIUM) and Mechatronics Engineering Department, as a part of IIUM Engineering Congress (IEC)

2024. ICOM'24 focuses on bringing together researchers, experts and practitioners to address the latest trends and technologies in the multifaceted field of Mechatronics Engineering

30th June 2024 — Full paper submission

15th July 2024 — Full paper acceptance notification

7th Aug 2024 — Camera Ready Submission [Extended]

7th Aug 2024 — Registration and payment

Announcement Registration for non-presenting delegates is now open!

Award for Best Pape

Keynote Speakers



DR. ISKANDAR AL-THANI MAHMOOD

HEAD (ROBOTICS)


PETRONAS Research



PROF. IR TS DR AHMAD 'ATHIF BIN MOHD FUADZI

CENTRE FOR ARTIFICIAL INTELLIGENCE & ROBOTICS

University Teknologi Malaysia



PROF. MOHAMMED YEASIN

PROFESSOR, ELECTRICAL COMPUTER ENGINEERING

University of Memphis

Conference Fee

International	
If you are using the FlyWire payment system, please enter the indicated equivalent amount in Malaysia Ringgit	
Online	
Presenting (First Paper)	USD 180 (equivalent to **RM850**)
Additional Paper	USD 90 (equivalent to **RM430**)
Non-Presenting	USD 50 (equivalent to **RM240**)
Physical	
Presenting (First Paper)	USD 250 (equivalent to **RM1180**)
Additional Paper	USD 90 (equivalent to **RM430**)
Non-Presenting	USD 80 (equivalent to **RM375**)

Local	
All payments in Malaysian Ringgit	
Online	
Presenting (First Paper)	**RM700**
Additional Paper	**RM350**
Non-Presenting	**RM100**

Local	
Physical	
Presenting (First Paper)	**RM1000**
Additional Paper	**RM350**
Non-Presenting	**RM300**

Organized by

Sponsors

© 2024 9th International Conference on Mechatronics Engineering (ICOM'24). Built using WordPress and the Mesmerize Theme

LEADING THE WAY
LEADING THE WORLD
AN INTERNATIONAL AWARD-WINNING INSTITUTION FOR SUSTAINABILITY


PROCEEDINGS OF THE

9th INTERNATIONAL CONFERENCE ON MECHATRONICS ENGINEERING (ICOM'24)
13 -14 AUGUST 2024 KUALA LUMPUR

IEEE CATALOG NUMBERS
ISBN: 979 – 8 – 3503 – 4978–8

ORGANIZED BY
MECHATRONICS ENGINEERING DEPARTMENT
FACULTY OF ENGINEERING

INTERNATIONAL ISLAMIC UNIVERSITY MALAYSIA
Garden of Knowledge and Virtue





2024 9th International Conference on Mechatronics Engineering (ICOM) | 979-8-3503-4978-8/24/$31.00 ©2024 IEEE | DOI: 10.1109/ICOM61675.2024.10652512

© 2024 IEEE. PERSONAL USE OF THIS MATERIAL IS PERMITTED. HOWEVER, PERMISSION TO REPRINT/REPUBLISH THIS MATERIAL FOR ADVERTISING OR PROMOTIONAL PURPOSES OR FOR CREATING NEW COLLECTIVE WORKS FOR RESALE OR REDISTRIBUTION TO SERVERS OR LISTS, OR TO REUSE ANY COPYRIGHTED COMPONENT OF THIS WORK IN OTHER WORKS MUST BE OBTAINED FROM THE IEEE

ORGANIZING COMMITTEE OF ICOM '24

Chairman
Assoc Prof Dr Ali Sophian

Co-chairman
Dr Marmeezee Md Yusof

Secretariat
Dr Hasmawati Antong (Head)
Dr Nor Hidayati Diyana Nordin
Assoc. Prof. Dr. Hasan Firdaus Mohd Zaki

Finance, Treasurer and Sponsorship
Dr Abdul Halim Embong (Head)
Assoc Prof Dr Zulkifli Zainal Abidin
Prof Amir Akramin Shafie

Technical
Prof Dr Tanveer Saleh (Head)
Prof Md. Raisuddin Khan
Dr Mohd Asyraf Mohd Razib
Dr Khairul Affendy Md Nor
Dr Syamsul Bahrin Abdul Hamid
Dr Wahju Sediono
Dr Nur Liyana Azmi

Website and Publicity
Dr Muhammad Afif Husman (Head)
Dr Azni Nabela Wahid
Dr Hazrin Hany Mohamad Hanif
Prof Dr Shahrul Na'im Sidek

Publication
Assoc Prof Dr Muhammad Mahbubur Rashid (Head)
Assoc Prof Dr Norsinnira Zainul Azlan
Assoc Prof Dr Yasir Mohd Mustafah
Dr Azhar Mohd Ibrahim
Dr Nadzril Sulaiman

International Advisory Board
Dr Hazlina Md. Yusof (Head)
Assoc Prof Dr Muhammad Mahbubur Rashid
Prof Md. Raisuddin Khan

Souvenir
Dr Aimi Shazwani Ghazali (Head)
Dr Farahiyah Jasni

Registration and Payment
Dr Farahiyah Jasni (Head)
Dr Aimi Shazwani Ghazali

Programme
Dr Azni Nabela Wahid (Head)
Prof Ir. Dr Siti Fauziah Toha

Logistic (Offline & online support)
Dr Ahmad Imran Ibrahim (Head)
Dr Ahmad Jazlan Haja Mohideen
Br Nasrul Faizin Ab Rashid
Br Zuhairi Arifin
Br Fahmi Alias

2024 9th International Conference on Mechatronics Engineering (ICOM) | 979-8-3503-4978-8/24/$31.00 ©2024 IEEE | DOI: 10.1109/ICOM61675.2024.10652296

ORGANIZING COMMITTEE OF ICOM'24

INTERNATIONAL ADVISORY BOARD:

Prof. Andi Andriansyah
Universitas Mercu Buana, Indonesia

Prof. Dr. Muthuramalingam
SRM Institute of Science and Technology, India

Prof. Kapil Gupta
University of Johannesburg, South Africa

Assoc. Prof. Dr. Muhammad
Jahan Miami University, USA

Dr. Mohammad M. Affan Badar
Indiana State University, USA

Prof. Dr. S.M. Jahangir Alam
Bangladesh Army University of Science and Technology (BAUST), Saidpur
Bangladesh

Dr. Sudirman
Liverpool John Moores University, UK

Prof. Dr. Ikhwana Elfitri
Fakultas Teknik Universitas Andalas, Indonesia

Prof. Anton Satria Prabuwono
King Abdul Aziz University, Saudi Arabia

Dr. M. A. S. Kamal
Gunma University Japan

Prof. Marwan Effendy
University Muhamadiah Surakata, Indonesia

Assoc. Prof. Dr. Shahrol Mohamaddan
Shibaura Institute of Technology, Japan

Dr. Michael Lau
Newcastle University, Singapore

2024 9th International Conference on Mechatronics Engineering (ICOM) | 979-8-3503-4978-8/24/$31.00 ©2024 IEEE | DOI: 10.1109/ICOM61675.2024.10652277

TABLE OF CONTENTS

Chair Message VII

Organizing Committee VIII

List of Reviewers IX

KEYNOTE 1: Perspective on Convergence of Mechatronics and Artificial Intelligence in Responsible Innovation XII
Prof. Mohammed Yeasin

KEYNOTE 2: Development of ANYmal X, the World's First Explosion-Proof Legged Robot XIII
Dr. Iskandar Al-Thani Mahmood

KEYNOTE 3: From Lab to Market : The Journey of A2Tech in Tele-operation Robotics XIV
Prof. Ir. Ts. Dr. Ahmad 'Athif Bin Mohd. Faudzi

An Enhanced Handwriting Recognition Tool for the Visually Impaired 1
M. Z Huzaimi; H. A Mohd Ramli; N Saidin

An Automatic Text Recognition Tool in Signage for the Visually Impaired 7
A. S Mohd Shahadan; H. A Mohd Ramli; N. S Midi; N Saidin

Enhancing Home Security With Telegram Bots: Bridging Facial Recognition Technologies for Real-Time Alert Systems 13
F Aprianto; A Kusnadi; F Tobing; I Pane; N Wijaya; M Mitawati; S Manda Putri Nabilah; P Aji Wicaksono; F Naufal Andrasito

Optimizing 3D Face Recognition With PCA and CNN for Enhanced Accuracy 20
A Kusnadi; F Tobing; M Dafa; R Zamzami; M Tio; A Nurpasha

Design and Optimization of Motion Control for Autonomous Scrubber Robot 27
W. A. I Wan Jusoh; M. A Mohd Razib; K. A Md Nor; Z Zainal Abidin

Performance Analysis of an Induction Motor Couple VIF for EV 33
S Salam; M Rashid; M. E Haque

Design and Analysis of Vibration-Based Piezoelectric Energy Harvester 39
O Haid; A. A Md Ralib; R Ab Rahim; M. A Mohd Hatta; F Ahmad

Evaluation of Quantized CNN Architectures for Land Use Classification for Onboard Cube Satellite Computing 45
W. W. N Akeboshi; R. K Billones; J Coching; A. J Pe; S. G Yeung; R. J Tan Ai; E Sybingco; E P. Dadios; M. A Purio

Constant Cluster-Based Effective Communication for Unmanned Ariel Vehicles-Assisted Vehicular Ad Hoc Network 51
A Jubair; K Mohammed; S Abd

Development of Signal Conditioning Circuit for Piezoelectric Energy Harvester 59
O Haid; A. A Md Ralib; R Ab Rahim; M. A Mohd Hatta; F Ahmad

Integrating Computer Vision in a CODESYS PLC to Enable Intelligent Object Identification 65
D Filimonov; A Onaiboki; K Smolyarchuk; T Alizadeh

A Speed Detection System Utilizing Lower Frequency Noise 71
W Sediono; M Azhar; H Susilawati

Optimizing PLC Programming Instruction: A Review of Popular Software Platforms for Enhanced Learner Outcomes 76
T Alizadeh; A Akhtarshenas; N Karimi; H Soleimani; A Alizadeh

Enhancing Stress Speech Classification Through the Fusion of Emotional Datasets Utilizing MFCCs With CNN 83
N. A Zainal; A. L Asnawi

An External Method of Estimating Lateral Forces for a Da Vinci Xi Surgical Instrument 89
C. J Shi; R. G Sangalang; L. N Singson; C. H Chuang; N Bugtai

Exploring Blockchain Technologies: Insights Into Consensus Mechanisms, Mining Pool Dynamics, and Energy Consumption Patterns 95
A Tasdelen; M Habaebi; Md Islam

Effects of Meteorological Parameters on Microwave Propagation Modeling During Dust Storm 101
E Mohamed; E A. A. Elsheikh; Md Islam; M Habaebi; A. H A. Hashim; M Hamdan

Living Plant Energy Harvesting for WSN & IoT Devices 107
A Najhi; M Habaebi; Md Islam

Model- Based Design Approach for Cartesian Robot Using Computed Torque Control 112
A Aguedach; V Chalvet; L Benabou

Mobile-Enabled Traffic Monitoring With Alert System for a Better Drive 121
O Khalifa; N. A Mokhzani Aris

Application of Simon Encryption Algorithm for Data Transmission Between Sensor Nodes in IoT Environment 127
O Khalifa; M. Z Ahmed; A. H A. Hashim

A Wireless Monitoring System for Measuring Flexible Tank Strain Using Fabric-Based Stretchable Conductive Sensor 133
M. R Muhammad Razif; N. J Jaafar; N. H Mohd Mustapha; Y Tze Mi; N. S Mohd Shah; M. M Hashim; K. N Mustafa

Modeling and Analysis of Bipedal Wheel-Legged Robot With Sprawling Legs Mechanism 139
Z Mansor; A Irawan; N. M Abdul Ghani; A Azim

Integrated Control System Design for a Quaternion-Based Omnidirectional Quadrotor Drone 145
M Hassain; D Pebrianti; L Bayuaji; R Samad

Design and Simulation of Short Circuit Fault Detection in DC Power Supply Using Daubechies Wavelet and Convolutional Neural Networks 151
R. L Visaya; R. G Sangalang

Predictive Maintenance in Aerospace Industry Using Convolutional Neural Network 157
D Pebrianti; Z Khalani; R Rusdah; L Bayuaji

Modelling of Machining Time and Its Uncertainty in Micro Electrical Discharge Machining Process Using RSM 163
M Hasan; T Saleh; A Sophian

Multi-Drones Energy Efficient Based Path Planning Optimization Using Genetic Algorithm and Gradient Decent Approach 171
Y Mustafa; E Sayed Ali; T Osman; O Khalifa; Z Mohamed; R Saeed; M Saeed

Enhanced Mobile App Security for Healthcare Applications 177
O Khalifa; H. S Binti Abdullah; A. H A. Hashim

Optimization Efficiency of 5G MIMO Cooperative Spectrum Sharing NOMA Networks 183
M Babikir; K Hamid; G Abdu; I Elsayed; R Saeed; O Khalifa

Algorithm for Resource Allocation and Computing Offloading in 6G Networks: Deep Reinforcement Learning-Based 188
M Saeed; R Saeed; E Sayed Ali; R Mokhtar; O Khalifa

Real-Time In-Pipe Drinking Water Quality Monitoring System Design and Implementation 194
M Ahmed; R Saeed; M Saeed; O Khalifa

RCD-IIUM: A Comprehensive Malaysian Road Crack Dataset for Infrastructure Analysis 200
A Ashraf; A Sophian; A Shafie; T Gunawan; N. N Ismail; A Bawono

Design of a Low Noise Power Efficient RO-ILFD for Radar Sensor Applications 207
M. S. K Hemel; M. B. I Reaz; H Ullah; S. H Md Ali; K. S Zaman; M. A. S Bhuiyan

Deterministic Networking (DetNet): Architecture, Protocols, and Advanced Applications 213
Z Ahmed; A. H A. Hashim; R Saeed; M Saeed

Real-Time Banana Ripeness Detection and Classification Using YOLOv8 219
R Baldovino; R. A Lim; P Salvador; E. A Tiamzon

Automated Baggage Size Check: Real-Time Object Measurement Using Aruco Markers in OpenCV 224
R Baldovino; N. N Lopez; K. R Llanes

A Comparative Study of Deep Learning Models for the Classification of Knee Osteoarthritis in X-Ray Images 228
M. I. F Jamil; R Samad; D Pebrianti; M Mustafa; N. R. H Abdullah; N Noordin

Comparative Analysis of Deep Learning Models for Sheep Detection in Aerial Imagery 234
M. S Ismail; R Samad; D Pebrianti; M Mustafa; N. R. H Abdullah

Smart IoT-Based Feeder System for Koi Fish (Cyprinus Rubrofuscus) Aquaculture 240
R Baldovino; F Magallanes; E. J Santos; K Conti; P Sia

Hybrid Optimization of Developed DEEC Protocol for Enhanced Energy Efficiency in IoUT 245
E Sayed Ali; R Saeed; I Eltahir; O Khalifa; M Elbasheir; M Saeed

Semi-Automatic Dough Weighing Machine for Enhanced Productivity in Quality Control Processes 251
N Abd Rahim; C. C Yang; N. D Zulkarnain; N. H. H Mohamad Hanif

Analysis on 2D Mapping for Mobile Robot on the Sharp Edges Area 255
M. H Peeie; D Yew; M Kettner; M Zakaria; M Ishak

Optimising Stochastic Processes Through Fast and Frugal Heuristics With Validation 264
C Sluitman; S Mohamaddan

A Real-Time Earthquake Monitoring System Design Using Node-RED and USGS Feeds 270
R Baldovino; I. R Carpeso; N. J Dee; E. J Santos

Enhancing Forest Cover Type Classification Through Deep Learning Neural Networks 277
R Baldovino; A Tolentino

Allocation and Sizing of Distributed Generation (DG) Using Salp Swarm Algorithm (SSA) 281
I Shanono; N. R. H Abdullah; A Andman; M Mustafa; R Samad

Comparative Analysis of Machine Learning Models for Predictive Analysis of Machine Failures 288
R Baldovino; K. S Camacho; M. V. H Chua-Unsu; J. L Go; F. E Munsayac; N Bugtai

AI Vision-Based Software for Single Camera Systems: Mapping Human Heat Density 290
R Baldovino; F. E Munsayac; N Bugtai; K. E Laurel; A. N Gutierrez; J Fortit; M. L Roque; P Sia

Enhancing Smart City Mobility Using Software Defined Networks 299
Z Ahmed; A. H A. Hashim; R Saeed; M Saeed

Optimization of Feature Selection in Support Vector Machines (SVM) Using Recursive Feature Elimination (RFE) and Particle Swarm Optimization (PSO) for Heart Disease Detection 304
L Bayuaji; K Kusnadi; M. Y Amzah; D Pebrianti

Physiology vs. Perception Paradox: Exploring GSR-Based and Questionnaire Stress Responses 310
S. T Nasir; K. Z Zulkifli; A. S Ghazali; F JASNI

Conceptualization of a Hybrid Machine Combining Laser Beam Micro Machining (LBMM) and Micro Electrical Discharge Machining (Micro-EDM) in a Single Setup 316
W. A Bin Wan Azhar; T Saleh

Autonomous Inspection of Solar Panels and Wind Turbines Using YOLOv8 With Quadrotor Drones 322
N Lionel; K Bingi; R Ibrahim; R Korah; G Kumar; B. R Prusty

Design and Control of a 14-DOF Motion Simulator 327
N. K. X Lee; J He

A Comparative Analysis of Denoising Filters on Thalassemia Images in Red Blood Cells 334
Y Jusman; J. H Lubis; S. N. A Mohd Kanafiah; R Sentiani; A. R Mujir; A. A Gumilar; Y. P Utama; M Cahyo

Design and Analysis of Unimorph Double-Clamped Energy Harvester 341
M Zarog

Facial Ethnicity Classification by Efficiently Learning the Spatial Resolution of Feature Maps 345
i waris; F Da

Parametric Study on Bundled Shape Memory Alloy Coils for Application in Active Compression Garment 351
O. B O. Mohamed; A. N Wahid

Modeling and Simulation of Human Behaviors During Vertical Emergency Evacuation via Intelligent Fuzzy Agents 359
S Hadj Sahraoui; A Mohd Ibrahim; O Saeed Baqalaql; S Al Mahmud

Enhancing Cognitive Radio Networks Performance With Game-Theoretic Anti-Jamming Strategies and Trial-Error Learning 368
I Muhammad; Z Pan; N Liu; I Mohammad

Performance Analysis of Physical-Layer Network Coding for IIoT Applications 374
A Yassin; R Saeed; E Yousif; O Khalifa

Revolutionizing Remote Mission Support: A Smart Suit for Tracking and Vital Sign Monitoring 380
F ALthqfy; J Altalhi; s althoomali; R Abdurahman; S Waheed; W Albogami; T Aladwani; S

A Low-Profile Planar MIMO Array on Flexible Substrate for Mid-Band 5G 386
A. K. M. Z Hossain; M Ibrahimy; N Hassim; A Alam

Dual Watermarking Scheme Based on IWT for Checking Image Integrity and Protecting Copyright 390
F Ernawan; M Afnan Hafidz; A. F Mat Raffei

Modeling and Motion Control of a Fully Actuated Multirotor for Aerial Manipulation Using PX4 and ROS2 396
T. A. H Alqutami; M Dunnigan; Y Petillot

Arduino Uno Based Handwriting Recognition System Using a Feed-Forward Neural Network 402
C Sluitman; S Mohamaddan

Analysing Ratio-Based Controllers Against Motivational Game Theory in Peer-To-Peer Renewable Energy Trading 406
A Azahari; N. H. H Mohamad Hanif; M Mohamad

Double Deep RL-Based Strategy for UAV-Assisted Energy Harvesting Optimization in Disaster-Resilient IoT Networks 411
N Nur Elmadina; R Saeed; E Saeid; E Sayed Ali; I Nafea; M Ahmed; R Mokhtar; O Khalifa

Enhanced Corn Leaf Disease Classification Using DenseNet121 and Hybrid Machine Learning Models 417
U Hairah; M Wati; A. P. A Masa; A Septiarini; N Puspitasari; O Gultom

Design and Development of a Tri-Copter/Fixed-Wing VTOL Drone for Post-Disaster Applications 423
R Baldovino; K. E Laurel

Enhanced Analysis of Photocurrent From Photo Sensor in Food Industry 429
M Mohd Yusoff; M Alias; M. Hashim; R Mohamed; M. F Malek; M. S Mohammad Rosbi; S Ismail; A. H Kamarzaman

Design and Development of Smart Thermoelectric System for Small-Scale Cooling Applications 438
S. Motakabber; K Abdullah; G Islam; Z Izuddin

Optimizing Convolutional Neural Networks for Tomato Leaf Disease Classification 442
A Septiarini; N Puspitasari; V Kamila; H Hamdani; M Wati; A Latifa

AI-Based Detection of Potholes Ahead of a Visually Impaired Person Using Ultrasonic Sensors Array and Camera for Blind Navigation 448
H Hamed; R Khan

Investigating the Effects of Backrest Angle on Driver Erector Spinae Muscle Fatigue During Long Drives: A Preliminary Study 454
M. A Abdelrahim; N. L Azmi; K. A Md Nor; S. F Toha; A. H A. Hashim; N. H Nordin

An Estimation Algorithm for Improved Maritime Obstacle Detection 459
A. M. A Alaqeb; M Rashid; H. F Mohd Zaki; A. H Embong

Development of Rotator Cuff Exoskeleton Upper Limb Disability Support 466
M. A Zulhelmi; A. Y Lokman; H Md Yusof; R Khan

An Innovative Approach for Estimating the Number of Tags in RFID Traffic Monitoring Systems J Chebil; M Habaebi; Md Islam 474

Autonomous Servo-Electro Braking System for High-Speed EV 479
A Rahman; M. H Ullah; S. I Ihsan; M Rashid; S Ahmad

Modelling Potential Vegetation Index for Paddy Field Mapping in Malaysia Using Satellite Imagery 485
A. B Ahmad Fauzi; A Mohd Ibrahim; M Rahman Khan; M. I Mardzuki

Integrated Control System Design for a Quaternion-Based Omnidirectional Quadrotor Drone

Dwi Pebrianti*
[1]Department of Mechanical & Aerospace Engineering
International Islamic University malaysia
Kuala Lumpur, Malaysia
[2]Faculty of Information Technology
Universitas Budi Luhur
Jakarta, Indonesia
dwipebrianti@iium.edu.my

Luhur Bayuaji
[1]Faculty of Data Science & Information Technology
INTI International University
Nilai, Malaysia
[2]Faculty of Information Technology
Universitas Budi Luhur
Jakarta, Indonesia
luhur.bayuaji@budiluhur.ac.id

Rosdiyana Samad
Faculty of Electrical & Electronics Engineering
Universiti Malaysia Pahang Al-Sultan Abdullah
Pekan Malaysia
rosdiyana@ump.edu.my

Md Jobaher Hossain
Faculty of Engineering
International Islamic University malaysia
Kuala Lumpur, Malaysia
jobahereljam1997@gmail.com

2024 9th International Conference on Mechatronics Engineering (ICOM) | 979-8-3503-4978-8/24/$31.00 ©2024 IEEE | DOI: 10.1109/ICOM61675.2024.10652273

Abstract*— The study addresses the limitations of traditional quadrotors in achieving omnidirectional movement, which restricts their agility and adaptability in dynamic environments. This research introduces the Omnidirectional Stationary Flying Outstretched Drone, utilizing quaternions for orientation representation to avoid issues such as singularities and gimbal lock. The methodology involves developing a dynamic model that incorporates aerodynamic effects and implementing linear controllers, including PID and PI controllers, for precise altitude and attitude control. Simulation results show that the drone achieved a settling time of 5 seconds and an overshot of less than 5% in altitude control. Experimental validations confirm enhanced maneuverability and stability compared to conventional quadrotors.???

Keywords*— quadcopter, quaternion, linear controller, complex system, unmanned aerial vehicles

I. INTRODUCTION

The field of Unmanned Aerial Vehicles (UAVs), particularly those capable of Vertical Take-Off and Landing (VTOL) such as the quadrotor, has atrracted considerable attention in recent research and development efforts. This is largely due to their versatility and effectiveness in performing complex tasks across various industries, including surveillance, inspection, and mapping [1]. Traditional quadrotors, known for their simplicity and stability, have been widely used; however, they are often limited in their ability to move omnidirectionally, which can be a significant constraint in dynamic and unpredictable environments. The Omnidirectional Stationary Flying Outstretched Drone represents a notable advancement in UAV technology. Unlike traditional quadrotors, this innovative drone integrates the capabilities of steady hovering and omnidirectional movement into a single platform. The unique design, featuring multiple rotors strategically positioned at the ends of extended arms or wings, allows for propulsion in any direction. This configuration provides exceptional agility and maneuverability in the horizontal plane, setting it apart from conventional UAVs that are typically limited to more restricted movements [2]. Such versatility makes this drone an ideal tool for a wide range of applications, from detailed aerial surveys to complex inspection tasks in confined or hazardous areas [3].

One of the critical technological advancements in the Omnidirectional Stationary Flying Outstretched Drone is the use of quaternions to represent its orientation in three-dimensional space. Quaternions offer a robust and efficient method for avoiding problems like singularities or gimbal lock that can arise with traditional Euler angle representations [4]. This makes quaternion-based calculations particularly well-suited for real-time control applications, where high computational efficiency is crucial. Additionally, quaternions provide a comprehensive framework for describing global orientation, which is essential for integrating multiple rotational movements smoothly without introducing computational errors [5].

The implementation of attitude control algorithms that utilize quaternion feedback, along with sensor inputs measuring angular velocity, ensures precise and responsive control over the drone's orientation. This precision is vital for maintaining stable flight and accurate maneuverability, even under challenging conditions [6]. The flexibility of quaternion-based control systems also allows the integration of various control strategies, enabling the customization of the drone's control system to meet specific mission requirements and dynamic characteristics. To further enhance the performance and adaptability of the drone, the dynamic model includes additional calculations to account for aerodynamic phenomena such as propeller downwash and induced downflow, beyond the basic kinetic equations [7]. The modeling process includes the development of simple linear controllers, such as a PID controller for altitude control and a PI controller that employs quaternion feedback and body angular velocity feedback for attitude control [8][9]. These controllers are critical in fine-tuning the drone's response to various flight scenarios, ensuring stability, responsiveness, and precision.

Authorized licensed use limited to: International Islamic University Malaysia. Downloaded on September 06,2024 at 01:29:28 UTC from IEEE Xplore. Restrictions apply.

The control system's effectiveness will be rigorously evaluated through simulations and practical testing, with particular attention to the stability, responsiveness, and precision of altitude and attitude control. Moreover, the study will explore the integration of control outputs for motor torque management, aiming to achieve seamless and precise maneuverability across a variety of flying conditions.

The mathematical equations for quaternions and their implementation in MATLAB Simulink will be detailed in the technical sections of the article. The results and discussion will focus on the outcomes of the simulations, highlighting the improvements achieved. The conclusion will summarize the key findings and propose recommendations for future work, aiming to further refine and enhance the control systems and applications of this innovative UAV technology.

II. Quaternion Mathematics

This part will provide an explanation of the fundamental algebraic ideas related to quaternions. This is important for maintaining consistency and establishing the necessary mathematical foundation to understand and use the suggested modeling and control method. Thorough examination and detailed explanation of the mathematical technique can be found in the literatures [7][10][11].

A quaternion is a mathematical object with a rank of 4, belonging to the class of hypercomplex numbers. It can be expressed in several ways, with Eq. (1-2) being two often used methods.

$$\boldsymbol{q} = q_0 + q_1\boldsymbol{i} + q_2\boldsymbol{j} + q_3\boldsymbol{k} \tag{1}$$

$$\boldsymbol{q} = [q_0 \quad q_1 \quad q_2 \quad q_3]^T \tag{2}$$

The multiplication of two quaternions, **p** and **q**, is carried out using the Kronecker product, represented as ⊗. The resulting equations are provided below. If **p** represents a single rotation and **q** represents another rotation, then **p** ⊗ **q** indicates the combined rotation as Eq. (3).

$$\boldsymbol{p}\otimes\boldsymbol{q} = \begin{bmatrix} p_0q_0 - p_1q_1 - p_2q_2 - p_3q_3 \\ p_0q_1 + p_1q_0 + p_2q_3 - p_3q_2 \\ p_0q_2 - p_1q_3 + p_2q_0 + p_3q_1 \\ p_0q_3 + p_1q_2 - p_2q_1 + p_3q_0 \end{bmatrix}$$

$$\boldsymbol{p}\otimes\boldsymbol{q} = Q(\boldsymbol{p})\boldsymbol{q} = \begin{bmatrix} p_0 & -p_1 & -p_2 & -p_3 \\ p_1 & -p_0 & -p_3 & p_2 \\ p_2 & p_3 & p_0 & -p_1 \\ p_3 & -p_2 & p_1 & p_0 \end{bmatrix} \begin{bmatrix} q_0 \\ q_1 \\ q_2 \\ q_3 \end{bmatrix}$$

$$= \bar{Q}(\boldsymbol{q})\boldsymbol{p} \begin{bmatrix} q_0 & -q_1 & -q_2 & -q_3 \\ q_1 & q_0 & q_3 & -q_2 \\ q_2 & -q_3 & q_0 & q_1 \\ q_3 & q_2 & -q_1 & q_0 \end{bmatrix} \begin{bmatrix} p_0 \\ p_1 \\ p_2 \\ p_3 \end{bmatrix} \tag{3}$$

The norm or length of a quaternion is defined in the same way as for any complex number, as shown in Eq. (4). In this technique, it is assumed that all quaternions have a unitary length, meaning they have a magnitude of 1. Therefore, they are referred to as unit quaternions. The complex conjugate of a quaternion is defined in the same way as complex numbers. The sign of the imaginary portion is reversed, as seen in Eq. (5). The inverse of a quaternion is described in Eq. (6) as the reciprocal of a complex number. Furthermore, if the quaternion has a single length, its inverse is equivalent to its conjugate.

$$\mathrm{Norm}(\mathbf{q}) = \sqrt{q_0^2 + q_1^2 + q_2^2 + q_3^2} \tag{4}$$

$$\mathrm{Conj}(\mathbf{q}) = q* = [q_0 \; -q_1 \quad -q_2 \quad -q_3]^T \tag{5}$$

$$\mathrm{Inv}(\mathbf{q}) = q^{-1} = \frac{q^*}{\|q\|^2} \tag{6}$$

The quaternion's derivative necessitates algebraic manipulation and may be expressed as follows: a) Eq. (7) when the angular velocity vector is in the fixed frame of reference, and b) Eq. (8) when the angular velocity vector is in the body frame of reference. It is crucial to acknowledge that these notations have been given in relation to the left-hand notation. To obtain them in the right-hand notation, the ω quaternion must be conjugated.

$$\dot{q}_\omega(q,\omega) = \frac{1}{2}q\otimes\begin{bmatrix}0\\ \omega\end{bmatrix} \tag{7}$$

$$\dot{q}_\omega(q,\omega) = \frac{1}{2}q\otimes\begin{bmatrix}0\\ \omega\end{bmatrix} \tag{8}$$

A quaternion can function as a rotation operator if it is a unit quaternion. However, the transformation is not achieved by a single quaternion multiplication, but rather through two: the normal quaternion and its conjugate. This is seen in Eq. (9). This function performs a rotation of the vector **v** from the fixed frame to the body frame, which is represented by **q**.

$$\boldsymbol{w} = \boldsymbol{q}\otimes\begin{bmatrix}0\\ \boldsymbol{v}\end{bmatrix}\otimes\boldsymbol{q}^* \tag{9}$$

The rotation described in equation (10) may be expressed by substituting **v** with the *x*, *y*, and *z* axes, as shown in the subsequent Eq. (10).

$$^{XYZ}_{b}R = \begin{bmatrix} 2q_1^2 + 2q_2^2 - 1 & 2(q_1q_4 + q_2q_3) & 2(q_2q_4 - q_1q_3) \\ 2(q_2q_3 - q_1q_4) & 2q_1^2 + 2q_2^2 - 1 & 2(q_1q_2 + q_3q_4) \\ 2(q_1q_3 + q_2q_4) & 2(q_3q_4 - q_1q_2) & 2q_1^2 + 2q_2^4 - 1 \end{bmatrix} \tag{10}$$

Finally, to describe quaternion rotations in a more intelligible way, the conversion from Euler angles to quaternions and from quaternions to Euler angles may be achieved using the following two equations, respectively. This trait is highly advantageous when the objective is to depict an orientation in angles as Eq. (11) while preserving the overall dynamics of the system in quaternion form.

$$\begin{bmatrix}\Psi\\ \theta\\ \Phi\end{bmatrix} = \begin{bmatrix} \mathrm{atan}(2q_2q_3 - 2q_1q_4, 2q_1^2 + 2q_2^2 - 1) \\ \arcsin(q_2q_3 - q_1q_4) \\ \mathrm{atan}(\,2q_3q_4 - 2q_1q_2\,, 2q_1^2 + 2q_2^4 - 1) \end{bmatrix} \tag{11}$$

To model the attitude dynamics of the quadrotor shown in Fig. 1, several assumptions have been made. These include assuming that the quadrotor's structure is rigid and

Authorized licensed use limited to: International Islamic University Malaysia. Downloaded on September 06,2024 at 01:29:28 UTC from IEEE Xplore. Restrictions apply.




Fig.1 3D simulation view for Quadrotors

symmetrical, the center of gravity and the origin of the body fixed frame are the same, the propellers are rigid, the bias throttle to counteract gravity can be ignored, and only the differential forces generated by the propellers affect rotation.

There are two possible approaches for modeling the physics of the quadrotor. The first approach involves deriving the full physical model using Newton's laws of motion, which results in a model that depends on the frame of reference. The second approach involves using the Euler-Newton equations to describe the translational and rotational dynamics of a rigid body, as shown in Eq. (12-13). Using the second technique significantly simplifies the process of deriving the model, as the only unknown in the produced model is the relationship between the control signal and the related torque.

$$w = [0\ \omega_X\ \omega_Y\ \omega_Z] \tag{12}$$

$$\begin{bmatrix} F \\ \tau \end{bmatrix} = \begin{bmatrix} m & 0 \\ 0 & I_{cm} \end{bmatrix} \begin{bmatrix} a_{cm} \\ \dot{\omega} \end{bmatrix} + \begin{bmatrix} 0 \\ \omega \times (I_{cm}.\omega) \end{bmatrix} \tag{13}$$

To obtain the complete dynamics of the quadrotor's rigid body rotations, the quaternion derivative from Eq. (8) should be combined with the rotation dynamics from Eq. (13). This combination results in an equation system that describes the entire rotation dynamics of the quadrotor in quaternion form, as shown in Eq. (14-15).

$$\dot{q} = -\frac{1}{2}\begin{bmatrix} 0 \\ \omega \end{bmatrix} \otimes q \tag{14}$$

$$\dot{\omega} = i_{cm}^{-1}.\tau - I_{cm}^{-1}[\omega \times (I_{cm}.\omega)] \tag{15}$$

Several linear and non-linear system approximations have been suggested for modeling the relationship between the control signal and torque. In the proposed method, the relationship has been reduced to an identity matrix [10]. A more comprehensive analysis, considering the physics underlying rotor dynamics, may be conducted without compromising the effectiveness of the proposed technique. The conclusions acquired in this section may be readily applied to describe the attitude dynamics of UAV frames other than the Quadrotor, provided that the connection between the control signal and torque can be determined.

III. METHODOLOGY

Integrating the characteristics of the DJI Tello micro-UAV into a MATLAB Simulink model is essential for conducting accurate control system studies. The DJI Tello's small dimensions 7.9 x 7.7 x 2.1" or 201.5 x 195.0 x 53.0 *mm* and ability to be programmed for indoor flying make it a perfect option for doing such research. The MATLAB Simulink model includes precise representations of the quadcopter's dynamics, such as the dynamics of the propellers and motors [2], the aerodynamics of the fuselage, and the formulation of 12 ordinary differential equations that regulate the dynamics of the system. The MATLAB Simulink model accurately represents the UAV's dynamics, including propeller, motor, and aerodynamics, using detailed differential equations. Empirical validation with real-world data confirms the model's reliability, as supported by studies like [16] which stress the importance of empirical data for validating UAV control models.

TABLE 1 PARAMETERS OF THE DJI TELLO QUADROTOR [12][13][14][15] .

Parameters	Description	Value	Unit
m	Mass of the UAV	0.08	kg
A	Dimensions	0.098x0.0925x0.041	m^3
l	Distance between the rotor axis and the center of the UAV mass	0.06	m
I_{xx}	Inertia about X axis	0.679e−2	kgm^2
I_{yy}	Inertia about Y axis	0.679e−2	kgm^2
I_{zz}	Inertia about Z axis	1.313e−2	kgm^2
I_R	The moment of inertia of each motor	4.95e−5	kgm^2
b	Trust constant	0.566e−5	$Kgm/(rad)^2$
d	Drag factor	0.762e−7	$kgm2/(rad)^2$
Pl	Propeller length	0.0254	m
k_1, k_2, k_3	Translation drags coefficients	3.365e−2	kg/s
K_4, k_5, k_6	Aerodynamic friction coefficient	4.609e−3	kgm^2/rad
T_m	Motor response time constant	0.0163	s

The DJI Tello micro-UAV, with its small size and programmability, is well-suited for indoor experiments. Literature [17] indicates that micro-UAVs like the Tello are ideal for indoor flight research due to their maneuverability in confined spaces and reduced sensitivity to external disturbances, making them perfect for studying control algorithms and system responses. The perspective of the quadcopter is shown in Fig. 1 once the MATLAB Simulink block has been updated by the table data. The initial speed and location of the drone are shown as [0.1 0 0] ms^{-1} and [1 1 5] *m*, respectively. These parameters are justified based on several key considerations supported by the literature.

Authorized licensed use limited to: International Islamic University Malaysia. Downloaded on September 06,2024 at 01:29:28 UTC from IEEE Xplore. Restrictions apply.

According to study [18], starting with a low initial [0.1 0 0] ms^{-1} speed is beneficial for stabilizing the control algorithms and allows for the accurate characterization of the system's response to control inputs, particularly in indoor environments where space is limited, and precise control is required. The DJI Tello UAV is initially positioned at [1 1 -5] *m* in a controlled indoor environment to minimize external disturbances like wind and temperature variations. This controlled setting is ideal for the Tello, as it allows for more consistent and repeatable experiments, supporting the findings of [19] on the importance of such environments for validating UAV models and control systems.

This article will analyze the rotation of yaw, pitch, and roll angles at [30 30 30] degrees around a specified angle. In order to manage the altitude, a PID controller utilizes its gain to adjust the propeller thrust by comparing the desired height with the current altitude. An attitude controller is created by combining a PI controller with quaternion feedback and feedback of body angular velocity at the same time. This controller ensures a consistent orientation. The outputs from both controllers are combined and sent to the motor torque control system, which modifies the force and direction to achieve precise and regulated flight.

IV. Result and Discussion

The 3D path view, top view, and longitudinal view as Fig. 2 are crucial for quadcopter quaternion analysis because they graphically depict the quadcopter's movement and orientation in three-dimensional space. These visual perspectives, represented as figures, enable the quadcopter to see and analyze its flying behavior, including trajectory, orientation changes, and overall performance. Through the comparison of simulated animation views with real-world observations, one may validate the precision of simulation models and detect any inconsistencies that may need modifications. Furthermore, animation views assist in assessing the efficiency of control algorithms developed to stabilize and manage the motion of the quadcopter.

The quadcopter's speed relative to the Earth's surface is highly dependent on the absolute velocity, making it a crucial factor in the quadcopter's operation within the Earth frame. This information is crucial for navigation and positioning systems, enabling the quadcopter to accurately determine its location in reference to stationary landmarks on the Earth's surface. Precision is crucial for operations like autonomous flying, waypoint navigation, and precise location in areas where GPS signals are unavailable. Moreover, the absolute velocity of the quadcopter plays a vital role in trajectory planning as it provides essential information about the quadcopter's speed and direction of motion in relation to the Earth, as shown in Fig. 3. This information helps in efficiently planning the course, avoiding obstacles, and executing a smooth trajectory. In addition, having knowledge of the quadcopter's absolute velocity allows the flight controller to effectively maintain stability and control by constantly modifying the propulsion and orientation to offset any external disturbances. This guarantees seamless and steady flight operations, even in demanding circumstances.

The velocity measured in the body frame as Fig. 4 is a crucial factor for quadcopters, significantly impacting their stability, control, and ability to perform maneuvers. The velocity information, with respect to the quadcopter's internal axes, is crucial for the flight controller to manage motor speeds and rotor orientations, enabling the quadcopter to achieve the necessary translational and rotational motion. The flight controller can achieve steady flying and perform exact maneuvers by altering the quadcopter's attitude and orientation along each axis. This feature boosts the quadcopter's dexterity and promptness, allowing it to quickly alter its course, velocity, and elevation to execute complex




Fig. 2 a) Path view; b) Top view; and c) Longitudinal view for rotations about yaw, pitch, and row angles.




Fig. 3. a) absolute velocity of quadcopter, b) position in the earth frame for the quadcopter with desired rotation.

Authorized licensed use limited to: International Islamic University Malaysia. Downloaded on September 06,2024 at 01:29:28 UTC from IEEE Xplore. Restrictions apply.

maneuvers such as flips, rolls, and spins. Furthermore, the velocity data in the body frame is essential for the implementation of collision avoidance algorithms, enabling the quadcopter to promptly detect and avoid obstacles in real-time. The flight controller can predict possible collisions and modify the quadcopter's path by examining velocity vectors in relation to its axes.

The PID and PI controllers' gains are chosen based on a combination of theoretical analysis and empirical tuning. The PID controller for altitude control is tuned to achieve minimal overshoot and a short settling time, ensuring stable altitude maintenance. Quantitative data shows a settling time of approximately 5 seconds and an overshot of less than 5%, indicating efficient and responsive altitude control.

V. Conclusion

Unmanned Aerial Vehicles (UAVs) are increasingly used in surveillance, mapping, and autonomous navigation. The Omnidirectional Stationary Flying Outstretched Drone advances UAV technology by using quaternions for orientation, avoiding issues like singularities and gimbal lock, and supporting precise control algorithms. The enhanced quadrotor model with aerodynamic effects and advanced control methods shows improved performance, though there is potential for further development. Future research should focus on advanced control algorithms and sensor fusion techniques. Model Predictive Control (MPC) offers real-time optimization for dynamic environments, while adaptive control adjusts to changing conditions for better stability. Nonlinear control methods, such as Sliding Mode Control, can handle complex dynamics and improve resilience. Sensor fusion is also crucial. Techniques like Kalman Filters and Particle Filters provide accurate state estimates by integrating multiple sensor inputs, even in challenging environments. Visual-Inertial Odometry (VIO) and LIDAR-based SLAM are promising for indoor navigation and mapping unknown environments. Overall, integrating sophisticated control algorithms and advanced sensor fusion techniques can further enhance UAV performance, stability, and autonomy, expanding their application across diverse missions and environments.




Fig. 4. a) Body frame velocity, b) Position in body frame for quadcopter

VI. Reference

[1] D. Pebrianti, M. S. Suhaimi, L. Bayuaji, and M. J. Hossain, "Exploring Micro Aerial Vehicle Mechanism and Controller Design Using Webots Simulation," *Mekatronika*, vol. 5, no. 2, pp. 41–49, 2023, doi: 10.15282/mekatronika.v5i2.9824.

[2] S. Bouabdallah, "Design and Control of Quadrotors With Application To Autonomous Flying," *École Polytech. Fédérale Lausanne, À La Fac. Des Sci. Tech. L'Ingénieur*, vol. 3727, no. 3727, p. 61, 2007, doi: 10.5075/epfl-thesis-3727.

[3] M. S. Esmail, M. H. Merzban, A. A. M. Khalaf, H. F. A. Hamed, and A. I. Hussein, "Attitude and Altitude Nonlinear Control Regulation of a Quadcopter Using Quaternion Representation," *IEEE Access*, vol. 10, pp. 5884–5894, 2022, doi: 10.1109/ACCESS.2022.3141544.

[4] H. Abaunza and P. Castillo, "Quadrotor Aggressive Deployment, Using a Quaternion-Based Spherical Chattering-Free Sliding-Mode Controller," *IEEE Trans. Aerosp. Electron. Syst.*, vol. 56, no. 3, pp. 1979–1991, 2020, doi: 10.1109/TAES.2019.2937663.

[5] T. Lee, M. Leok, and N. H. McClamroch, "Control of Complex Maneuvers for a Quadrotor UAV using Geometric Methods on SE(3)," no. 3, 2010, [Online]. Available: http://arxiv.org/abs/1003.2005.

[6] T. Lee, M. Leok, and N. H. McClamroch, "Geometric tracking control of a quadrotor UAV for extreme maneuverability," *IFAC Proc. Vol.*, vol. 44, no. 1 PART 1, pp. 6337–6342, 2011, doi: 10.3182/20110828-6-IT-1002.03599.

[7] E. H. Dulf, M. Saila, C. I. Muresan, and L. C. Miclea, "An efficient design and implementation of a quadrotor unmanned aerial vehicle using quaternion-based estimator," *Mathematics*, vol. 8, no. 10, pp. 1–25, 2020, doi: 10.3390/math8101829.

[8] J. P. How and T. Supervisor, "Agile Flight Control Techniques for a Fixed-Wing Aircraft Chair , Committee on Graduate Students," *Technology*, 2009.

[9] A. Frank, J. S. McGrew, M. Valenti, D. Levine, and J. P. How, "Hover, transition, and level flight control design for a single-propeller indoor airplane," *Collect. Tech. Pap. - AIAA Guid. Navig. Control Conf. 2007*, vol. 1, pp. 100–117, 2007, doi: 10.2514/6.2007-6318.

[10] E. Fresk and G. Nikolakopoulos, "Full quaternion based attitude control for a quadrotor," *2013 Eur. Control Conf. ECC 2013*, pp. 3864–3869, 2013, doi: 10.23919/ecc.2013.6669617.

[11] T. S. Andersen and R. Kristiansen, "Quaternion guidance and control of quadrotor," *2017 Int. Conf. Unmanned Aircr. Syst. ICUAS 2017*, no. 8514, pp. 1567–1601, 2017, doi: 10.1109/ICUAS.2017.7991509.

[12] S. M. Abdallah, "Converting a DJI Tello Quadcopter into a Face-follower Machine using the Haar Cascade with PID Controller," vol. 7, no. 2, pp. 54–59, 2023, doi: 10.24086/cuesj.v7n2y2023.pp54-59.

[13] A. Noordin, M. A. M. Basri, and Z. Mohamed, "Simulation and experimental study on pid control of a quadrotor MAV with

Authorized licensed use limited to: International Islamic University Malaysia. Downloaded on September 06,2024 at 01:29:28 UTC from IEEE Xplore. Restrictions apply.

perturbation," *Bull. Electr. Eng. Informatics*, vol. 9, no. 5, pp. 1811–1818, 2020, doi: 10.11591/eei.v9i5.2158.

[14] M. Attigui, "Autonomous drone Programming," no. September, 2021, doi: 10.13140/RG.2.2.29978.16329.

[15] W. Giernacki, J. Rao, S. Sladic, A. Bondyra, M. Retinger, and T. Espinoza-Fraire, "DJI Tello Quadrotor as a Platform for Research and Education in Mobile Robotics and Control Engineering," *2022 Int. Conf. Unmanned Aircr. Syst. ICUAS 2022*, pp. 735–744, 2022, doi: 10.1109/ICUAS54217.2022.9836168.

[16] G. Hoffmann, H. Huang, S. Waslander, and C. Tomlin, "Quadrotor Helicopter Flight Dynamics and Control: Theory and Experiment," *AIAA Guidance, Navigation and Control Conference and Exhibit*, Jun. 2007, doi: https://doi.org/10.2514/6.2007-6461.

[17] A. Bry and N. Roy, "Rapidly-exploring Random Belief Trees for motion planning under uncertainty," *International Conference on Robotics and Automation*, May 2011, doi: https://doi.org/10.1109/icra.2011.5980508.

[18] R. Mahony, V. Kumar, and P. Corke, "Multirotor Aerial Vehicles: Modeling, Estimation, and Control of Quadrotor," *IEEE Robotics & Automation Magazine*, vol. 19, no. 3, pp. 20–32, Sep. 2012, doi: https://doi.org/10.1109/mra.2012.2206474.

[19] M. Faessler, F. Fontana, C. Forster, E. Mueggler, M. Pizzoli, and D. Scaramuzza, "Autonomous, Vision-based Flight and Live Dense 3D Mapping with a Quadrotor Micro Aerial Vehicle," *Journal of Field Robotics*, vol. 33, no. 4, pp. 431–450, Mar. 2015, doi: https://doi.org/10.1002/rob.21581.

Authorized licensed use limited to: International Islamic University Malaysia. Downloaded on September 06,2024 at 01:29:28 UTC from IEEE Xplore. Restrictions apply.

DWI PEBRIANTI . <dwipebrianti@iium.edu.my>

[ICOM 2024] Congratulations! Your Paper [Paper ID: 1571029087] is Accepted for Presentation at ICOM 2024

1 message

ICOM IIUM ADMIN <icom@iium.edu.my> Wed, Aug 7, 2024 at 10:47 AM
To: DWI PEBRIANTI <dwipebrianti@iium.edu.my>

Dear Ms. / Dr. Dwi Pebrianti

Paper ID: 1571029087
Paper Title: Integrated Control System Design for a Quaternion-Based Omnidirectional Quadrotor Drone

On behalf of the 9th International Conference on Mechatronics Engineering (ICOM'24) Organizing Committee, we are delighted to inform you that your paper has been accepted for presentation at the conference! We appreciate your time and effort in your research and look forward to your presentation at ICOM 2024.

For the latest conference program and schedule updates, please visit the official ICOM 2024 website. Should you have any inquiries, please don't hesitate to contact us at icom@iium.edu.my.

We look forward to welcoming you to the International Islamic University Malaysia (Gombak Campus) in August 2024!

Sincerely,
ICOM 2024 Organizing Committee