

DATA-DRIVEN MARKETING IN REAL ESTATE: FORECASTING HOUSE PRICES AND UNCOVERING INFLUENTIAL FACTORS

Intania Prabadianti¹, Samidi²

¹⁻² Master of Science in Management Program, Faculty of Economics and Business,
Padjadjaran University

E-mail: ¹intania20001@mail.unpad.ac.id, ²samidi@budiluhur.ac.id

Submitted: 15 September 2025	Revised: 19 October 2025	Accepted: 21 November 2025
--	------------------------------------	--------------------------------------

Abstract

In recent years, the housing market has faced significant challenges, including fluctuating prices and declining sales. To solve this issue, there was an increasing need for more sophisticated methods to predict housing prices accurately. This study aimed to provide real estate marketers with a tool to enhance their pricing tactics and mitigate the decline in home sales by predicting house prices using machine learning techniques. Several parameters were considered in this study, such as location, number of bedrooms, number of bathrooms, land area, building area, and number of carports. Linear regression and neural network methods were used to develop predictive models. The findings showed that the neural network method was more accurate than linear regression, which made it a better tool for real estate pricing strategies, with land area and number of carports being the most influential aspects in house price prediction.

Keywords: *house price prediction, machine learning, data-driven marketing, linear regression, neural net.*

INTRODUCTION

Homes are among the most fundamental necessities of human existence, besides food, water, and even the foundation of family stability and well-being (Q. Wang et al., 2024; Zulkifley et al., 2020). It pertains to the concept of homes as property that most individuals in society incur costs for in terms of ownership and upkeep (Jafari & Akhavian, 2019). The housing sector is a significant driver of economic growth in developing and established nations since housing is the largest asset and expense (F. Wang & Ran, 2019). The quality of life for all households is significantly influenced by some aspects of their home, which can directly impact their overall well-being (Bottini & Costarelli, 2023). Everyone wants to buy and live in a house that matches their lifestyle and provides amenities that meet their desires; however, predicting the price of a house is challenging since it is constantly changing (Sanyal et al., 2022). Thus, choosing a price for purchasing and selling a house is a procedure that must be thoroughly examined (Jáuregui-Velarde et al., 2023).

House price forecasts are crucial for many individuals and organizations (H. Zhang et al., 2023) since house prices have become a significant issue over time (Whelan et al., 2023). Knowing the projected house price could help house buyers plan better for real estate purchases, and it is good for house sellers to be aware of the estimated house price on the market to propose a fair asking price (H. Zhang et al., 2023). In the real estate field, it is beneficial for potential buyers of homes to assess the value of houses before making any decision, and it acts as a reference for developers to establish appropriate housing prices, considering various criteria such as location, size, and accessibility of the property (Teoh et al.,

2023). Precisely forecasting the price of a house can assist purchasers and other decision-makers in making informed choices (Jáuregui-Velarde et al., 2023). Inaccurate house price predictions increase the level of uncertainty and risk for both homeowners and investors, potentially resulting in financial losses due to unforeseen market fluctuations (Gandhi et al., 2023; Geerts et al., 2023; Mishra et al., 2022). The effectiveness of the real estate market largely depends on reliable price forecasting. When such forecasts are lacking, the market may suffer from inefficiencies, mispricing, and poor investment outcomes (Geerts et al., 2023; Verma et al., 2023).

In recent years, however, the housing market has faced significant challenges, including fluctuating prices, economic downturns, and changes in consumer behaviour (Y. Zhang et al., 2023; Zulkifley et al., 2020). One of the most pressing issues is the decline in home sales observed in various regions, and unfortunately, Indonesia is facing this issue. The volatility of housing prices has consistently been a prominent subject of study in building, real estate, and built environment research (Jafari & Akhavian, 2019). According to Indonesia's residential property price index year on year, the price has fluctuated from the 1st quarter of 2022 to the 4th quarter of 2023. It can be increased by 1-2% but decreased by 1-2% over the observed period (Statista, 2024). Similar to the property price index growth, Indonesia's year-on-year residential property sales growth from the 1st quarter of 2020 to the 2nd quarter of 2023 also experienced fluctuation. From the 2nd quarter of 2022 until the 2nd quarter of 2023, sales kept going down, and overall property sales decreased by 12.3%. Among the three housing types, the sales for small houses are the most significant overall decline (Statista, 2023).

The decrease in home sales can be attributed to various factors. Traditional market analysis techniques and pricing methodologies sometimes need help to analyze large amounts of data, resulting in underutilization (Q. Wang et al., 2024). This insufficiency in pricing strategy causes the sales to decline, producing a tough-to-break cycle. To address this issue, there is a growing need for more sophisticated methods to predict housing prices accurately. Accurate price prediction can help businesses utilize the forecasted house price value to modify their strategy to assist those experiencing economic obstacles in owning a home (Y. Zhang et al., 2023). Housing data sets are typically complex, containing numerous feature attributes. Therefore, there is a lack of clarity regarding which attributes are the most significant, and machine learning (ML) excels in selecting the appropriate factors to consider, which is often challenging (Teoh et al., 2023). Machine learning techniques offer promising solutions in this regard.

The key objective of this study is to develop and implement ML models for predicting housing prices. The model will utilize various features such as location, number of bedrooms, bathrooms, carports, land area, and building area to generate accurate price predictions. By doing so, the study aims to provide real estate professionals with a tool to enhance their pricing strategies and mitigate the decline in home sales. This research holds significant implications for the real estate industry. Firstly, it can help real estate marketers set more accurate and competitive prices, attracting more potential buyers. Secondly, stakeholders can better address market demands and preferences by understanding the key influencing factors in housing prices. Finally, implementing ML in this context could pave the way for broader ML applications in real estate, promoting the advancement of novel ideas and improved efficiency within the sector. This study also differs from past studies in that it focuses on analyzing data specifically from properties for sale in Bandung, which adds a fresh aspect to the study. In contrast to earlier studies, this research primarily focuses on the main components of a house and does not consider environmental variables. Research also supported by a literature review that outlines relevant theories and previous research as the basis for the analysis, namely as follows:

Machine Learning for House Price Prediction

Artificial intelligence (AI) generally refers to robots or agents that can observe their surroundings, acquire knowledge, and make intelligent judgments or suggestions based on that knowledge; one advanced AI is Machine Learning, which can be used for recognizing, understanding, and analyzing data (Rampini & Re Cecconi, 2021). Within machine learning, there are clear-cut classifications of learning, namely supervised and unsupervised learning (Kaytan and Aydilek 2017). Supervised learning contains several models such as linear regression (LR), neural network, support vector regression (SVR), ensemble approach, decision tree (DT), Naive Bayes, K-nearest neighbour (k-NN), and discriminant (Hoxha, 2024).

Machine learning algorithms have become popular for house price prediction (Y. Zhang et al., 2023) since they can identify the crucial variables contributing to house prices (Teoh et al., 2023). ML algorithms utilize sample data to predict housing prices by building a model through experience rather than using explicit modeling equations that show how dependent and independent factors are connected. Several supervised learning techniques have been utilized in prior studies to forecast housing prices (Adetunji et al., 2021; Forys, 2022; Y. Zhang et al., 2023). The goal of supervised learning is to establish a model that accurately represents the connection between input and output variables (Kotu & Deshpande, 2019).

Normal regression problems are typically addressed with the linear regression model as the baseline model (Trang et al., 2021). Zhao et al. (2019). Developed a highly effective price prediction model using linear regression, random forest, neural network, and XGBoost methods. Other research that uses linear regression, random forest, and decision tree methods also generates good accuracy, with accessibility as the most influential housing price factor among physical condition, socioeconomic characteristics, built-form, and location (Y. Zhang et al., 2023). (Adetunji et al., 2021) also applied the random forest method to help people decide whether the property should be acquired by considering the 'three most important factors of house prices: physical condition, style, and location.

Zulkifley et al. (2020) analyzed by building upon prior studies and derived a valuable summary of the key attributes that hold the most significance in housing analysis, which revealed that support vector regression, artificial neural networks (ANN), and XGBoost were the three most effective methods for predicting house prices with location and structural attributes as the prominent factors in predicting house prices and the locational characteristic was shown to be the primary element influencing the accuracy of the predictions, resulting in low error rates. Research conducted by (Rampini and Re Cecconi, 2021) shows that in predicting house prices, the surface and box of the parking lot are the most important factors, and between the use of ElasticNet, XGBoost, and neural networks that were tested, the one that performed better than the others is neural networks. Some of the previous research also proves that Neural networks are the best fit for predicting house prices (Forys, 2022). Based on existing research, this study proposes linear regression as the basic method always used in price prediction and the neural networks method, which has recently become reliable.

Factors in House Pricing

Several studies have analyzed the factors that influence home affordability from both micro and macro viewpoints (Q. Wang et al., 2024). Previous research, which tested through correlation and regression analysis, considers the macroeconomic indicators as a strong link between house price stability by the inflation rate, GDP, income level, and employment level that influence the affordability of house prices (Sabrina Abdul Latif et al., 2020). According to

Zheng (2023), GDP growth combines with education, health insurance, household, and income. Most of the other research involves more of the micro point, which are the factors that match the preferences of potential buyers. These factors include elements that encompass the attributes of the house, such as the livable surface, number of bedrooms and bathrooms; location area that refers to specific facts related to the geographical position, such as closeness to parks, supermarkets, and universities; and socioeconomic aspects, such as the average income and education level of its residents (Lenaers et al., 2024).

House prices are primarily influenced by accessibility to job centers and facilities, as well as the environmental qualities of the region (Kang, 2025; Szumilo et al., 2017; van Ruijven & Tijm, 2024). According to research conducted by Forsys (2022), property appraisers stated that the basic characteristics of the land property are of priority, such as the property's condition, neighborhood, plot area, distance from the city center, and location. Other research categorized the factors that influence housing prices as locational, structural, and neighbourhood factors (Zulkifley et al., 2020). Similarly, (Wu et al., 2018) also determined that the influencing factors of housing price consist of location features, neighborhood, and architecture, which were later added by land-use planning, environment, block size, and wind power. Despite both of the factors seeming to have a lot of influence on housing prices, the macroeconomics factor is less frequently employed (Zulkifley et al., 2020). The rationale behind this finding is that including macroeconomic variables in prediction models can be more challenging due to their weaker correlation with real estate prices than location factors and property attributes (Warisse, 2017). Another reason for this is the unclear and contradictory research findings on the correlation between the analyzed macroeconomic factors and property prices (Chiwuzie, Dabara, and Omotehinshe, 2021). Therefore, the structural and location factors are the two principal categories (Krämer et al., 2023). Following the microeconomic approach, this study concentrates especially on the structural and locational features of the house, such as location, land area, building area, number of bedrooms, number of bathrooms, and carports, which are regarded as more directly measurable and influential in property pricing.

2. RESEARCH METHOD

The Cross Industry Standard Process for Data Mining (CRISP-DM), which was created by a consortium of organisations specialising in data mining, is a prevalent framework for data science processes widely used to produce solutions in the field (Kotu and Deshpande, 2019). CRISP-DM organises the data mining process into six phases: business understanding (project goals and requirements), data understanding (data collection and insight discovery), data preparation (data selection and transformation, modeling (use of techniques), evaluation (assessing the model), and deployment (monitoring and presenting gained knowledge). These phases assist businesses in comprehending the data mining process and offer a roadmap for planning and executing a data mining project. Here is the research flow




Figure 1. Research Flow

The dataset comprises diverse numerical data that will undergo quantitative analysis, including linear regression and Neural networks, to forecast housing prices and identify the primary factors influencing them. The study will be conducted using the RapidMiner Studio 10.3 software to run linear regression, ANN, and performance evaluation methods.

2.1. Linear Regression

Linear regression is a technique used for numeric prediction in which the main concept is to forecast the value or class of a dependent characteristic, y , by creating a function, $y=f(X)$, that combines the predictor attributes, X (Kotu and Deshpande, 2019). Hence, regression analysis is a model that determines the relationship between variables (Zulkifley et al., 2020). The regression approach is widely used to model the house price affordability index drivers. When conducting research using regression methods, it is typical to encounter challenges such as multicollinearity, which arises from the interdependence of variables, as well as dealing with a large number of variables (Q. Wang et al., 2024). The linear regression model takes the form:

$$Y = b_0 + b_1x_1 + b_2x_2 + \dots + b_nx_n \quad (1)$$

Linear regression is still utilized as a house price prediction model despite being the most basic model compared to others, which, with this method, allows for precise training to get the desired outcomes (Trang et al., 2021). This is because the linear regression machine learning approach applies a linear regression model to make predictions within a continuous range rather than discrete categories (Kavitha et al., 2016). The linear regression model serves as a baseline for evaluating the effectiveness of various machine learning models by comparing their performance metrics, such as MAE, MSE, and R-square scores, to identify the ideal model (Trang et al., 2021).

2.2. Artificial Neural Networks

Artificial Neural Networks (ANNs) consist of a sequence of trainable modules called layers, where these layers do not need any parameter adjustment except for the network size (Lecun et al., 2015). ANN is designed to mimic the functioning of biological neural systems, such as the brain's information processing. They consist of many interconnected processing units called neurons, which collaborate to solve specific issues (J. Zhao & Zhang, 2021). The ANN is consistently chosen when dealing with non-linear attributes (Zulkifley et al., 2020). This method is becoming increasingly popular due to its high efficiency and straightforward implementation; also, the most notable advantage of neural networks is that they require little human intervention in tweaking the model; thus, the neural network is relatively easy to apply (Rampini & Re Cecconi, 2021). The inner workings of the neural network modeling process are explained by the developers of this technique using various biological terms; however, it is based on a straightforward mathematical framework that is:

$$Y = 1 + 2X_1 + 3X_2 + 4X_3 \quad (2)$$

Y is the estimated outcome, and X1, X2, and X3 are the input characteristics. The intercept is 1, whereas the scaling factors or coefficients for the input characteristics X1, X2, and X3 are 2, 3, and 4, respectively (Kotu & Deshpande, 2019). ANN has three layers consisting of the first layer, in which data is introduced into the model; the second or middle layer, which is the “hidden layers” that determine the correlations between features to achieve the most accurate forecast; and the last layer is where the results are provided in the form of a prediction value for the target variable (Rampini & Re Cecconi, 2021). The output results of the ANN model display the relative weights through colour-coded links with the description tab in the model window, providing the precise values of the link weights (Kotu & Deshpande, 2019).

2.3. Performance Evaluation

Forecast accuracy standards must be developed to assess the performance of different models and compare them across various use cases (Kotu & Deshpande, 2019). With the advancement of computer technologies, researchers are increasingly faced with the challenge of determining the accuracy of a specific prediction algorithm (Edalatpanah et al., 2024). The utilization of R-squared (R²), Mean Absolute Error (MAE), and Root Mean Squared Error (RMSE) as assessment metrics highlights the significance of employing comprehensive and diverse criteria to assess the performance of a model (Hoxha, 2024). MAE is a straightforward measurement influenced by the data's scale (Chai, 2020). MAE is commonly favoured due to its ability to represent the average error accurately, and a higher number of MAE indicates a decrease in the method's accuracy. The maximum accuracy, which aligns with the actual value, is achieved when the MAE is zero (Rampini & Re Cecconi, 2021). MAE is defined as follows:

$$MAE = \frac{\sum_{i=1}^m (Y_i - \hat{Y}_i)}{m} \quad (3)$$

Root Mean Square Error (RMSE) is a measure that depends on the scale of the data and is employed when it is important to penalise high relative residue (Kotu & Deshpande, 2019). RMSE is employed to assess the accuracy of forecasts where the variability of the errors in predicting values (residuals) is calculated (Sanyal et al., 2022). RMSE is defined according to the following formulas:

$$RMSE = \frac{1}{m} \sum_{i=1}^m (Y_i - \hat{Y}_i)^2 \quad (4)$$

Where m represents the total number of observations, including the train and test sets used to evaluate models. The actual rent for the property is denoted as Y_i, whereas \hat{Y}_i represents the forecast rent for the property (Lenaers et al., 2024). R² is also considered a good measure

for the fitness evaluation with ranges from 0 to 1, where the closer it is to 1, the more accurate it is (Sanyal et al., 2022) The formula that is used for R-squared is:

$$R^2 = 1 - \frac{SSE}{SST} \quad (5)$$

SSE (Squared sum of error) is the sum of squared residuals calculated from the difference between each observation and its corresponding anticipating value, and SST (Sum of squared total) is the squared differences between each observation and the aggregate mean (Sanyal et al., 2022).

3. RESULTS AND DISCUSSION

3.1 Business understanding

Real estate marketers and property developers are challenged when house sales decline in a competitive property market. To enhance the efficacy of sales and marketing activities, a primary business goal was to create a precise predictive model for evaluating house prices using different property attributes and determining the aspects that have a substantial impact. Using this strategy, the company aims to establish more favourable pricing, gain insights into market preferences, and enhance sales volume.

3.2 Data Understanding

The initial step in the data comprehension phase involves gathering relevant information for analysis. The data for this research were obtained through web scraping of www.rumah123.com in March 2024, specifically focusing on residential properties in Bandung, West Java, Indonesia. The raw datasets consist of type, status, price, instalment, house name, location, bedroom count, bathroom count, carport count, land area, and building area. Each of the raw data categories is described as

Table 1. Description of Raw Dataset

Data	Data Type	Description
Type	Nominal	The type or classification of the property
Status	Nominal	The property's status (available or not)
Price	Numeric	The property's price in Indonesia Rupiah (IDR)
Instalment	Nominal	Any instalment plan information related with the property
House name	Nominal	The name or title of your residential property
Location	Nominal	The location or area of the property in Bandung
Bedroom count	Numeric	Number of bedrooms in the property
Bathroom count	Numeric	Number of bathrooms in the property
Carport count	Numeric	The amounts of carports or parking places available on the site
Land area	Numeric	The property's total land area measured in square meters
Building area	Numeric	The property's total building area measured in square meters

Source: Data Processed, 2025

These datasets are intended to facilitate the study and analysis of real estate, specifically housing price regression, in Bandung, West Java, Indonesia.

3.3 Data Preparation

The initial step in the data preparation phase involves selecting pertinent data for analysis. The information utilized for the house price analysis comprises variables often used in previous research: location, bedroom count, bathroom count, carport count, land area, building area, and price (Dwivedi et al., 2022; Lenaers et al., 2024; Njo et al., 2025). The data was chosen due to its potential to substantially impact housing prices and its ability to offer comprehensive insights for predicting prices. After selecting the data, the next task is to cleanse it to ensure its quality and consistency. The data cleansing procedure entails verifying and addressing missing values, correcting data inaccuracies (such as typographical errors or illogical values), and eliminating duplicate entries.

Once the data has been cleaned, the next step is to format it to prepare it for analysis. This includes data type conversion, standardisation of numerical values to ensure a consistent scale, and categorical data encoding. Proper data formatting ensures that analysis algorithms can work optimally. The current data is guaranteed to have data categories that align with the aim of the data itself and is standardised using the "normalize" operator. During this phase, the location data is also transformed from a nominal to a numerical format using the "nominal and numerical" operator. This is achieved by specifying the attribute filter type as a subset and the coding type as unique integers. As a result, the original location data, which consisted of sub-district names in Bandung, is converted into a numerical format ranging from 0 to 26. Each number corresponds to a different sub-district. The clean dataset has 6534 data points and eight columns. The columns include row number, price, location, bedroom count, bathroom count, carport count, land area, and building area. The price data serves as a label or dependent variable. The result of the executed operation produces the following data set. To provide an overview of the dataset structure and its statistical characteristics, the following tables present the data profile, including data types, minimum and maximum values, mean, and standard deviation, as well as the first ten rows of the cleaned dataset.

Table 2. Data Profile

Data	Data Type	Minimal	Maximal	Mean	Std. Deviation
Price (in million)	Numeric	170	22000	3206.876	3364.787
Location	Nominal	-	-	-	-
Bedroom count	Numeric	1	15	3.809	1.806
Bathroom count	Numeric	1	10	2.652	1.300
Carport count	Numeric	0	10	1.206	1.221

Land area	Numeric	36	687	201.993	138.993
Building area	Numeric	36	1126	205.476	150.313

Table 3. First 10 Rows of Clean Dataset

Row No.	Price (in million)	Location	Bedroom count	Bathroom count	Carport count	Land area	Building area
1	2100	0	3	2	2	137	170
2	4100	0	3	2	3	202	300
3	3300	0	5	2	1	350	258
4	1300	0	11	3	0	176	176
5	3600	0	5	3	1	184	234
6	1170	0	2	1	1	65	45
7	2900	0	4	3	2	260	260
8	4500	0	5	3	2	404	250
9	2100	0	3	2	2	137	170
10	2200	0	4	3	2	172	220

3.4 Modelling

3.4.1. Correlation Matrix

The correlation matrix generated in RapidMiner for the housing dataset offers valuable insights into the associations among several features, such as the number of bedrooms, bathrooms, carports, land area, building area, and the goal variable, house price. By analysing correlation coefficients, we may determine the features that exhibit the most robust linear associations with property prices. A correlation value near +1 suggests a strong positive linear relationship. The correlation matrix data above shows that the `land_area` variable has a very strong relationship with `building_area`, with a correlation value of 0.749. This shows that houses with larger land areas tend to have larger building sizes as well, both of which can be important indicators in determining house prices. In addition, `bathroom_count` also shows a fairly strong correlation with `building_area` (0.590), followed by `bedroom_count` with `building_area` (0.496), indicating that larger homes are generally equipped with more bedrooms and bathrooms. A moderate relationship is also seen between `bathroom_count` and `land_area` (0.446). On the other hand, the `location` variable shows a very weak correlation with the other features, with values below 0.1, so its contribution is expected to be insignificant in the context of house price prediction, its contribution is expected to be insignificant. Based on these results, variables `land_area`, `building_area`, `bedroom_count`, and `bathroom_count` have great potential to be used as the main predictors in building a house price estimation model.




Figure 2. Correlation Matrix

3.4.2. Linear Regression

The Linear Regression method was employed to forecast house prices using the prepared dataset, which has columns labelled location, number of bedrooms, number of bathrooms, number of carports, land area, building area, and price. The results are as follows.




Figure 3. First Process of Linear Regression

The "normalize" and "replace missing values" operators will be connected to the clean dataset to guarantee that the data is standard and there are no null values. Subsequently, employ the Shuffle operator to randomize the order of the data, ensuring that the two partitions are statistically equivalent when separated.




Figure 4. Second Process of Linear Regression

Next, divide the data into two sets using the Filter Examples Range operator. In this instance, 90% of the data is designated for training purposes, while 10% is designated for testing purposes. The training data will be further divided into training and validation sets. The default Split Validation options, which include relative, 0.7, and shuffled, will

remain unchanged (Kotu & Deshpande, 2019), and this will be required to evaluate the linear regression model's performance. In addition, it is advisable to establish the local random seed, which defaults to 1992. This guarantees that RapidMiner will select the same samples if the procedure is executed later. The linear regression operator is included in the validation and is used to apply the model. The following is a graph of the price prediction results compared to existing prices.




Figure 5. Comparison of Price Prediction and Existing Price in Linear Regression

According to the linear regression results, the land area, building area, and number of carports have a significant influence on house prices. This is indicated by the p-value of the three variables, which are below the 5% significance level ($p < 0.05$), each amounting to 0.000. The land area variable shows a regression coefficient of 1,739.790, which shows that each increase in one unit of land area has the potential to increase house prices by Rp1,739,790. Meanwhile, the building area has a coefficient of 1,176.987, and the coefficient of the number of carports is 196.486, which means that an increase in building area and carports is also positively correlated with an increase in house prices. The results of linear regression indicate that land area, building area, and number of carports strongly influence the prices of houses. This result is in line with research conducted by Hamami & Dahlan (2024). In contrast, location and number of bedrooms weakly influence the house price prediction. The equation resulting from this result is

$$\text{House Price} = (22.725 * \text{location}) + (-43.756 * \text{bedroom_count}) + (-62.584 * \text{bathroom_count}) + (196.486 * \text{carport_count}) + (1739.790 * \text{land_area}) + (1176.987 * \text{building_area}) + 3217.981 \quad (6)$$

3.4.3. Artificial Neural Networks

Another technique utilized for predicting property prices is neural networks. The operator components used are identical to those employed in linear regression up until

the point of data normalization. Following the application of the "normalize" operator, the subsequent step involves using the "split data" operator to partition the data into training and testing data, with a ratio of 90% for training and 10% for testing. Lastly, the performance regression operator is also implemented. Below is the proposed method design, and the hidden layer consists of five nodes that use the sigmoid activation function. The result of this hidden layer is the weight of each input characteristic on a node, which represents its level of influence.




Figure 6. Neural Net Process

Table 4. Hidden Layer Results

Factors	Node 1	Node 2	Node 3	Node 4	Node 5	Node
Location	-0.004	-	0.362	-	-	1.278
Bedroom count	0.246	-	2.535	0.404	0.222	1.305
Bathroom count	0.334	0.715	-	1.197	0.763	0.695
Carport count	0.079	4.538	-	1.623	2.309	
Land area	-1.431	0.337	-	0.328	-	0.452
Building area	-1.845	2.415	0.215	0.854	-	0.284
Bias	0.624	0.141	3.209	1.988	2.239	

Node 1 demonstrates that the size of the building and the land area have a strong negative impact on housing prices, while the number of bathrooms and carports exerts a positive influence. The number of bedrooms and location show minimal effect in this node. Node 2 demonstrates that the number of carports, building area, and bedrooms have a strong positive impact on pricing, followed by location and bathroom count. In contrast, the influence of land area is positive but relatively moderate. Node 3 highlights a significant negative impact from the bathroom count, carport count, and land area, while the building area contributes slightly positively. The influence of location and bedrooms is present but weaker. Node 4 indicates that the number of bathrooms, bedrooms, carports, land area, and building area contribute positively to house prices, while the location exerts a strong negative impact. Node 5 demonstrates that the location,

number of bedrooms, bathrooms, and carports have a strong positive impact, whereas land area and building area have a mild negative influence.

In general, Node 2 exhibits a substantial positive effect on the number of carports and building area, while Node 3 shows negative effects from bathroom count and land area. Overall, features such as the number of bedrooms, bathrooms, carports, building area, and land area substantially influence house values, whereas location’s impact varies across nodes. These findings are consistent with previous research conducted by (Jafari & Akhavian, 2019). While the neural network model in this study reveals inconsistent patterns in the influence of location across different hidden nodes, previous studies have shown that geographic location, particularly at the district or subdistrict level, can significantly affect house prices, especially in more developed areas (Mukhlishin et al., 2017; Njo et al., 2025; Rahmatillah & Sudirman, 2023). The image below illustrates the comparison between the expected and existing prices, as seen in the chart.




Figure 7. Comparison of Price Prediction and Existing Price in Neural Net

3.5 Evaluation

The selected performance criteria are RMSE, MSE, MAE, and R-squared. Performance is then evaluated using these metrics. Here are the results of the linear regression method and neural net method.

Table 5. Performance Evaluation

Method	RMSE	MAE	R-squared
Linear Regression	1931.063	1151.113	0.673
Neural Net	1894.525	1059.474	0.701

The fairly high RMSE shows that the model captures the overall trend well, but there are big differences between some of its predictions. The neural network model achieved

better predictive performance, as indicated by a lower RMSE of 1894.525 compared to 1931.063 for linear regression, suggesting that its predictions are generally closer to the actual house prices. Similarly, the neural network also recorded a lower MAE of 1059.474 versus 1151.113, indicating smaller average absolute errors. Regarding R-squared, the neural network explains 70% of the variance in house prices, slightly outperforming the linear regression model with a score of 0.673. These results suggest that the neural network is more effective in capturing complex patterns and non-linear relationships in the data.

3.6 Deployment

During the Deployment phase, the initial step involves strategizing and integrating the house price prediction model into a functional environment. This entails incorporating the model into technologies used by end users, such as property sales platforms or real estate management systems. For practical application, the predictive model can be embedded within a web-based interface, allowing real estate agents or prospective buyers to obtain real-time house price estimates by entering relevant property details. This feature can be beneficial not only for buyers in assessing whether a house is reasonably priced based on its specifications, but also for sellers or real estate agents in setting an appropriate asking price when putting a property on the market. Beyond implementation, it is essential to establish a structured approach for ongoing monitoring and maintenance. This includes consistently evaluating model performance using key metrics such as RMSE, MAE, and R-squared to ensure predictive accuracy and reliability. Additionally, a protocol must be in place for handling periodic data updates, such as integrating new property listings, so the model can be retrained when necessary to reflect evolving market conditions. To ensure sustained relevance and accuracy, the deployment process should also account for potential issues such as data drift or changes in user behavior. Establishing a feedback loop from end users can further enhance the model by aligning its outputs with practical needs and expectations in the real estate sector.

4. CONCLUSION

The results of this study provide practical insights for real estate marketers to improve pricing accuracy and campaign effectiveness. Predictive models such as neural networks allow marketers to reduce the risk of overpricing or underpricing properties, which is essential for faster sales, as well-priced homes tend to attract more prospective buyers (Dwivedi et al., 2022; Saraswathi et al., 2024). Based on the neural network results, three structural features, which are carport count, building area, and number of bedrooms, were identified as the most influential factors in determining house prices. These findings align with previous studies emphasizing the importance of physical attributes such as size, number of rooms, and overall condition of the property in influencing market value (Hamami & Dahlan, 2024). Marketers can leverage this insight by highlighting these high-impact features in their listings and campaigns, for example, promoting homes with ample living space, multiple carports, or additional bedrooms tailored to family-oriented buyers.

Although land area and bathroom count also play roles in pricing, their impact in the neural network model was less consistent across hidden layers, suggesting that these features

may not universally raise perceived value. Therefore, marketers are advised to avoid one-size-fits-all assumptions and instead tailor promotional strategies based on the most relevant features for specific property segments. Another key implication lies in the integration of predictive pricing tools into real estate platforms, which allows marketing teams to automate price recommendations for new listings using reliable data, which can reduce subjectivity and improve consistency in pricing decisions, resulting in more targeted and data-driven marketing strategies (Y. Zhao et al., 2019). This could represent an upgrade in terms of customer experience, which would positively influence behaviour intention (Eny et al., 2020). As a result, aligning marketing efforts with data-driven predictions strengthens the property's market position and enhances both customer satisfaction and sales performance.

The study successfully utilised the Linear Regression and Neural Net models to forecast house prices using characteristics such as location, number of bedrooms, number of bathrooms, carport, land area, and building area. The variables equally identified as positive and significant determinants in both methods are the land area and the number of carports. Previous research states that general living area, basement size, and remodelling age are the most significant factors in determining house prices in America. In contrast, in Australia, properties with bedrooms, bathrooms, land area, and distance to the CBD are the main factors in house prices (Teoh et al., 2023). The number of carports that influence house prices is also supported by the research conducted by Rampini & Re Cecconi (2021). According to the performance findings, both proposed models show an R-squared value of 67,3% for linear regression and 70,1% for the neural network. Aligning with this result, Artificial Neural Networks (ANNs) demonstrate superior performance in house price prediction compared to other models, as they can identify complex and non-linear patterns within the data (Njo et al., 2025). Additionally, the error factor in the neural network model is lower than the error factor in the linear regression model. These findings demonstrate that the neural network approach is preferable to linear regression for predicting house prices, especially with this dataset.

This study has several limitations. Firstly, the data used may not account for all variables that influence property values, such as macroeconomic conditions, income, and the quality of the neighbourhood, including the availability of various amenities. Second, the linear regression model employed in this study might not adequately capture the complex non-linear relationships that often exist between the variables. Real estate markets are influenced by multifaceted interactions among various factors, and a linear approach may need to be more accurate to justify these dynamics. Furthermore, using region-specific data, such as the names of sub-districts, introduces another layer of complexity, making it more difficult to interpret the results universally. To enhance future research, it is advisable to include more complex non-linear models, such as Random Forest Regression, which can effectively capture non-linear interactions. Furthermore, enhancing the dataset by incorporating additional variables, such as the availability of public facilities, environmental circumstances, and economic trends, could improve the precision of predictions. Ultimately, establishing an ongoing monitoring and maintenance system will guarantee the model's continued relevance and accuracy in response to fluctuations in the property market.

REFERENCES

- Adetunji, A. B., Akande, O. N., Ajala, F. A., Oyewo, O., Akande, Y. F., & Oluwadara, G. (2021). House Price Prediction using Random Forest Machine Learning Technique. *Procedia Computer Science*, 199, 806–813. <https://doi.org/10.1016/j.procs.2022.01.100>
- Bottini, L., & Costarelli, I. (2023). Housing Satisfaction between Individual and Regional Characteristics: The Italian Case; [La soddisfazione abitativa tra caratteristiche individuali e regionali: il caso italiano]. *Scienze Regionali*, 22(2), 285 – 306. <https://doi.org/10.14650/106228>
- Chai, T. (2020). Root Mean Square. In *Encyclopedia of Earth Sciences Series* (Vol. 2020). Springer Science and Business Media B.V. https://doi.org/10.1007/978-3-030-26050-7_280-1
- Chiwuzie, A., Dabara, D. I., & Omotehinshe, O. J. (2021). Changing macroeconomic indicators and the rental values of residential properties in. *Article in YBL Journal of Built Environment*. <https://doi.org/10.33796/ajober.5.1.01>
- Dwivedi, R., Gupta, R., & Pal, P. K. (2022). House Price Prediction using regression techniques. In S. V., S. V., S. M., S. M., & S. J. (Eds.), *Proceedings - 2022 4th International Conference on Advances in Computing, Communication Control and Networking, ICAC3N 2022* (pp. 165 – 170). Institute of Electrical and Electronics Engineers Inc. <https://doi.org/10.1109/ICAC3N56670.2022.10074128>
- Edalatpanah, S. A., Hassani, F. S., Smarandache, F., Sorourkhah, A., Pamucar, D., & Cui, B. (2024). A hybrid time series forecasting method based on neutrosophic logic with applications in financial issues. *Engineering Applications of Artificial Intelligence*, 129. <https://doi.org/10.1016/j.engappai.2023.107531>
- Eny, E. P., Nimran, U., Suharyono, & Kusumawati, A. (2020). Novelty Seeking to Predict Tourist Behavior Intention In Rural Destination. *Jurnal Bisnis Dan Manajemen*, 7(2), 61–73. <http://jurnal.unmer.ac.id/index.php/jbm>
- Forys, I. (2022). Machine learning in house price analysis: regression models versus neural networks. *Procedia Computer Science*, 207, 435–445. <https://doi.org/10.1016/j.procs.2022.09.078>
- Gandhi, B., Jaitly, N., Vats, K., & Sagar, P. (2023). A Prediction Model for Real Estate Price Using Machine Learning. *Lecture Notes in Networks and Systems*, 641 LNNS, 37 – 42. https://doi.org/10.1007/978-981-99-0483-9_4
- Geerts, M., vanden Broucke, S., & De Weerd, J. (2023). A Survey of Methods and Input Data Types for House Price Prediction. In *ISPRS International Journal of Geo-Information* (Vol. 12, Issue 5). MDPI. <https://doi.org/10.3390/ijgi12050200>
- Hamami, F., & Dahlan, I. A. (2024). Regression Modeling for House Price Prediction in Java Island. *ICSINTESA 2024 - 2024 4th International Conference of Science and Information Technology in Smart Administration: The Collaboration of Smart Technology and Good Governance for Sustainable Development Goals*, 402 – 406. <https://doi.org/10.1109/ICSINTESA62455.2024.10747910>
- Hoxha, V. (2024). Comparative analysis of machine learning models in predicting housing prices: a case study of Prishtina’s real estate market. *International Journal of Housing Markets and Analysis*. <https://doi.org/10.1108/IJHMA-09-2023-0120>

- Jafari, A., & Akhavian, R. (2019). Driving forces for the US residential housing price: a predictive analysis. *Built Environment Project and Asset Management*, 9(4), 515–529. <https://doi.org/10.1108/BEPAM-07-2018-0100>
- Jáuregui-Velarde, R., Andrade-Arenas, L., Celis, D. H., Dávila-Morán, R. C., & Cabanillas-Carbonell, M. (2023). Web Application with Machine Learning for House Price Prediction. *International Journal of Interactive Mobile Technologies*, 17(23), 85–104. <https://doi.org/10.3991/IJIM.V17I23.38073>
- Kang, C.-D. (2025). Effects of Access Time via Travel Modes to Urban Service Facilities on Housing Prices: Evidence from Seoul. *Journal of Urban Planning and Development*, 151(2). <https://doi.org/10.1061/JUPDDM.UPENG-5513>
- Kavitha, S., Varuna, S., & Ramya, R. (2016). Proceedings of 2016 Online International Conference on Green Engineering and Technologies (IC-GET) : 19th November, 2016. *Proceedings of 2016 Online International Conference on Green Engineering and Technologies (IC-GET)*.
- Kaytan, M., & Aydilek, I. B. (2017). IDAP'17 : International Artificial Intelligence and Data Processing Symposium : September 16-17. *IDAP'17: International Artificial Intelligence and Data Processing Symposium*.
- Kotu, V., & Deshpande, B. (2019). *Data Science: Concepts and Practice, Second Edition* (Second Edition). Morgan Kaufmann Publishers.
- Krämer, B., Nagl, C., Stang, M., & Schäfers, W. (2023). Explainable AI in a Real Estate Context – Exploring the Determinants of Residential Real Estate Values. *Journal of Housing Research*, 32, 1–42. <https://doi.org/10.1080/10527001.2023.2170769>
- Lecun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. In *Nature* (Vol. 521, Issue 7553, pp. 436–444). Nature Publishing Group. <https://doi.org/10.1038/nature14539>
- Lenaers, I., Boudt, K., & De Moor, L. (2024). Predictability of Belgian residential real estate rents using tree-based ML models and IML techniques. *International Journal of Housing Markets and Analysis*, 17(1), 96–113. <https://doi.org/10.1108/IJHMA-11-2022-0172>
- Mishra, R., Singh, R., & Govindan, K. (2022). Net-zero economy research in the field of supply chain management: a systematic literature review and future research agenda. In ... *Journal of Logistics Management*. emerald.com. <https://doi.org/10.1108/IJLM-01-2022-0016>
- Mukhlisin, M. F., Saputra, R., & Wibowo, A. (2017). Predicting house sale price using fuzzy logic, Artificial Neural Network and K-Nearest Neighbor. *Proceedings - 2017 1st International Conference on Informatics and Computational Sciences, ICICoS 2017, 2018-January*, 171 – 176. <https://doi.org/10.1109/ICICOS.2017.8276357>
- Njo, A., Sugiarto, H. D., & Prayogo, D. (2025). Artificial intelligence algorithms to predict housing market prices in Surabaya, Indonesia. *International Journal of Housing Markets and Analysis*. <https://doi.org/10.1108/IJHMA-01-2025-0022>
- Rahmatillah, I., & Sudirman, I. D. (2023). A Deep Learning Approach to Predict Housing Market Price Trends in Bandung. *2023 1st IEEE International Conference on Smart Technology: Advances in Smart Technology for Sustainable Well-Being, ICE-SMARTEc 2023*, 140 – 145. <https://doi.org/10.1109/ICE-SMARTECH59237.2023.10461965>

- Rampini, L., & Re Cecconi, F. (2021). Artificial intelligence algorithms to predict Italian real estate market prices. *Journal of Property Investment and Finance*. <https://doi.org/10.1108/JPIF-08-2021-0073>
- Sabrina Abdul Latif, N., Muhammad Rizwan Majeed, K., Rozzani, N., & Khadijah Saleh, S. (2020). Factors Affecting Housing Prices in Malaysia: A Literature Review. *International Journal of Asian Social Science*, 10(1), 63–67. <https://doi.org/10.18488/journal.1.2020.101.63.67>
- Sanyal, S., Kumar Biswas, S., Das, D., Chakraborty, M., & Purkayastha, B. (2022). Boston House Price Prediction Using Regression Models. *2022 2nd International Conference on Intelligent Technologies, CONIT 2022*. <https://doi.org/10.1109/CONIT55038.2022.9848309>
- Saraswathi, P., Prabha, M., Jhoshitha, N. A., & Prathiksha, J. G. (2024). House price prediction with advanced machine learning techniques. In M. N.K. & R. S. (Eds.), *AIP Conference Proceedings* (Vol. 3214, Issue 1). American Institute of Physics. <https://doi.org/10.1063/5.0239036>
- Statista. (2023). *Real estate in Indonesia*.
- Statista. (2024). *Residential real estate in Indonesia*.
- Szumilo, N., Laszkiewicz, E., & Fuerst, F. (2017). The spatial impact of employment centres on housing markets. *Spatial Economic Analysis*, 12(4), 472 – 491. <https://doi.org/10.1080/17421772.2017.1339119>
- Teoh, E. Z., Yau, W. C., Ong, T. S., & Connie, T. (2023). Explainable housing price prediction with determinant analysis. *International Journal of Housing Markets and Analysis*, 16(5), 1021–1045. <https://doi.org/10.1108/IJHMA-02-2022-0025>
- Trang, L. H., Huy, T. D., & Le, A. N. (2021). Clustering helps to improve price prediction in online booking systems. *International Journal of Web Information Systems*, 17(1), 45–53. <https://doi.org/10.1108/IJWIS-11-2020-0065>
- van Ruijven, K., & Tijm, J. (2024). Do People Value Environmental Goods? Evidence From the Dutch Housing Market. *Journal of Real Estate Literature*, 32(2), 57–102. <https://doi.org/10.1080/09277544.2024.2322781>
- Verma, A., Gera, P., Singhal, S., & Mohapatra, A. K. (2023). Advanced Regression Models for Accurate House Price Prediction: An Analysis of Performance and Interpretability. *2023 14th International Conference on Computing Communication and Networking Technologies, ICCCNT 2023*. <https://doi.org/10.1109/ICCCNT56998.2023.10307946>
- Wang, F., & Ran, G. (2019). Excessive Financial Support, Real Estate Development and Macroeconomic Growth: Evidence from China. *Emerging Markets Finance and Trade*, 55(11), 2437–2447. <https://doi.org/10.1080/1540496X.2018.1555463>
- Wang, Q., Lin, B., & Tan, C. (2024). A modified spatial house price to income ratio and housing affordability drivers study: using the post-LASSO approach. *International Journal of Housing Markets and Analysis*. <https://doi.org/10.1108/IJHMA-12-2023-0169>
- Warisse, C. (2017). *Economic Review - June 2017 - Analysis of the developments in residential property prices : Is the Belgian market overvalued ?*
- Whelan, S., Atalay, K., Barrett, G., Cigdem-Bayram, M., & Edwards, R. (2023). Transitions into home ownership: a quantitative assessment. *AHURI Final Report*, 404, 1–96. <https://doi.org/10.18408/ahuri7327101>

- Wu, H., Jiao, H., Yu, Y., Li, Z., Peng, Z., Liu, L., & Zeng, Z. (2018). Influence factors and regression model of urban housing prices based on internet open access data. *Sustainability (Switzerland)*, *10*(5). <https://doi.org/10.3390/su10051676>
- Zhang, H., Li, Y., & Branco, P. (2023). Describe the house and i will tell you the price: House price prediction with textual description data. *Natural Language Engineering*. <https://doi.org/10.1017/S1351324923000360>
- Zhang, Y., Rahman, A., & Miller, E. (2023). Longitudinal modelling of housing prices with machine learning and temporal regression. *International Journal of Housing Markets and Analysis*, *16*(4), 693–715. <https://doi.org/10.1108/IJHMA-02-2022-0033>
- Zhao, J., & Zhang, B. (2021). Application and Study of artificial neural network intelligent control. *Journal of Physics: Conference Series*, *1948*(1). <https://doi.org/10.1088/1742-6596/1948/1/012003>
- Zhao, Y., Chetty, G., & Tran, D. (2019). *2019 IEEE Symposium Series on Computational Intelligence : IEEE SSCI 2019 : December 6-9, 2019, Xiamen, China*. 1396–1401.
- Zheng, Y. (2023). Community resilience and house prices: A machine learning approach. *Finance Research Letters*, *58*. <https://doi.org/10.1016/j.frl.2023.104400>
- Zulkifley, N. H., Rahman, S. A., Ubaidullah, N. H., & Ibrahim, I. (2020). House price prediction using a machine learning model: A survey of literature. *International Journal of Modern Education and Computer Science*, *12*(6), 46–54. <https://doi.org/10.5815/ijmecs.2020.06.04>




Vol. 4 No. 1 (2025): November


Data Driven Marketing in Real Estate: Forecasting House Prices and Uncovering Influential Factors



Intania Prabadianti

—  Master of Science in Management Program, Faculty of Economics and Business, Padjadjaran University

Samidi

—  Faculty of Economics and Business, Padjadjaran University

 [Abstract](#)

 [References](#)




there was an increasing need for more sophisticated methods to predict housing prices accurately. This study aimed to provide real estate marketers with a tool to enhance their pricing tactics and mitigate the decline in home sales by predicting house prices using machine learning techniques. Several parameters were considered in this study, such as location, number of bedrooms, number of bathrooms, land area, building area, and number of carports. Linear regression and neural network methods were used to develop predictive models. The findings showed that the neural network method was more accurate than linear regression, which made it a better tool for real estate pricing strategies, with land area and number of carports being the most influential aspects in house price prediction.

Keywords: House price prediction Machine learning Data-driven marketing
linear regression neural net

[Article Details](#)

[How to Cite](#)



[DOWNLOAD PDF](#)


Published: **Nov 25, 2025**

<https://doi.org/10.47353/ecbis.v4i1.248>

Issue: **Vol. 4 No. 1 (2025): November**

Section: **Articles**


Metrics: 152 22



Vol. 4 No. 1 (2025): November

Published 2025-10-09

[Home](#) / [Archives](#) / Vol. 4 No. 1 (2025): November



Vol. 4 No. 1 (2025): November

Published: 2025-10-09

<https://doi.org/10.47353/ecbis.v4i1>

Articles

Procurement Liberation: How School Districts are Cutting 47% of Purchasing Waste by 2025

— Simon Suwanzy Dzreke

[DOWNLOAD PDF](#)

229 149 1-18

Analysis of Human Resource Competency in Improving Employee Performance in The Department Communication and Informatics of Gunungsitoli City

— Nidasari Lase, Sukaaro Waruwu, Meiman Hidayat Waruwu, Robin Markus Putra Waruwu

[DOWNLOAD PDF](#)

86 46 19-28



Hospitality Industry

– Tenri Sayu Puspitaningsih Dipomatmodjo, Zainal Ruma, Rezky Amalia Hamka, Andi Dewi Angreyani, Hery Maulana Arif



DOWNLOAD PDF

89 11 29-44

The Effect of Seasonal Cycles and Fish Price Fluctuations on Financial Literacy of Fishermen In Sifalaete Ulu Village, Gunungsitoli District

– Masnia Zebua, Nanny Artatina Buulolo, Heniwati Gulo, Serniati Zebua



DOWNLOAD PDF

112 27 45-58

Analysis of The Use of Facebook Digital Promotion Media To Increase Sales of UD Tahu Murni Products in Gunungsitoli City

– Petrus Lase, Idarni Harefa, Yupiter Mendrofa, Otanius Laia



DOWNLOAD PDF

104 28 59-68

The Relationship Between Learning Styles and Learning Motivation Towards Academic Achievement of Students of The Faculty Of Economics and Business, State University of Makassar

– Abdul Rahman



DOWNLOAD PDF

64 17 69-74

Analysis of Human Resource Planning in Facing Challenges in The Digital Era at State Vocational School 2 Gunungsitoli, Gunungsitoli City

Data Driven Marketing in Real Estate: Forecasting House Prices and Uncovering Influential Factors

– Intania Prabadianti, Samidi



 DOWNLOAD PDF

 152  22  87-106


Digital Entrepreneurial Mindset Development: Strategies to Increase the Economic Competitiveness of Indonesia's Gen Z in the E-Commerce Era

a Study Systematic Literature Review

– Ilma Wulansari Hasdiansa



 DOWNLOAD PDF

 109  29  107-114

The Influence of Financial Literacy and Financial Inclusion on The Performance of Msmes in Kediri City

– Dika Dimas Putra, Afif Nur Rahmadi, Angga Rizka Lidiawan



 DOWNLOAD PDF

 93  30  115-120

Local Knowledge And Social Capital As Financial Buffers: Understanding MSMEs Risk Mitigation Strategies In Indonesia

– Andi Mustika Amin



 DOWNLOAD PDF

 55  44  121-130

Customer Service Automation Through Ai-Powered CRM: Impact On Marketing Target

Production Optimization Through the Material Requirement Planning (MRP) Method in The Nias Tofu Product Business in Onomamolo Village I Lot

— Solfin Desmeni Mendrofa, Serniati Zebua, Martha Surya Dinata Mendrofa, Jeliswan Berkat Iman Jaya Gea

[DOWNLOAD PDF](#)

92 40 139-152

Analysis of Promotion Mix and Place in Increasing Sales at Murai Coffee Gunungsitoli

— Wildan Syariah Farasi, Serniati Zebua, Martha Surya Dinata Mendrofa, Yuterlin Zalukhu

[DOWNLOAD PDF](#)

67 27 153-162

Escaping the Equilibrium: Strategic Innovation as a Deliberate Disequilibrium Mechanism in Oligopolistic Competition

— Nurman

[DOWNLOAD PDF](#)

82 10 163-172

Analysis of Human Resource Policy in Improving The Quality of Employee Performance in The Department of Population Control, Women's Empowerment and Child Protection of Gunungsitoli City

— Trima Putri Harefa, Odaligoziduhu Halawa, Syah Abadi Mendrofa, Fatolosa Hulu

[DOWNLOAD PDF](#)

48 20 173-182



Surabaya City

— Ronald Berkat Yustin Hulu, Martha Surya Dinata Mendrofa, Sophia Molinda Kakisina, Jeliswan Berkat Iman Jaya Gea



[DOWNLOAD PDF](#)

69 15 183-194

The Effect of Working Capital Management on The Growth of Savings and Loan Business in The Osseda Faolala Women's Consumer Cooperative Nias

— Foster Herwin Gulo, Dedi Irawan Zebua, Serniati Zebua, Aferiaman Telaumbanua, Aferiaman Telaumbanua



[DOWNLOAD PDF](#)

33 23 195-206

The Influence of Financial Literacy and Lifestyle on Financial Behavior of Generation Z in Makassar City in 2024

— Anwar Ramli, Annisa Paramaswary Aslam, Indah Lestari Anwar



[DOWNLOAD PDF](#)

83 47 207-220

Economic Signals from Acquisition Premiums: A Re-Analysis of Stock Price Fluctuations to Assess the Impact of Shareholder Wealth in M&A Transactions

— Zainal Ruma



[DOWNLOAD PDF](#)

112 11 221-230





Economics and Business Journal (ECBIS)

Published by PT. Maju Malaqbi
Makkarana

Online ISSN [2963-7589](#)



[Home](#) / Editorial Team

Editorial Team

EDITOR IN-CHIEF:

Ismail Suardi Wekke
Institut Agama Islam Negeri Sorong

EDITORIAL TEAM:

Khaidir Syahrul | [Google Scholar](#) Universitas Negeri Makassar,
Indonesia

Mohd Shamsuri Md Saad | [Google Scholar](#) Universiti Teknikal
Malaysia Melaka

Dr. Anwar, SE., M.Si | [Google Scholar](#) Makassar State University

Sirajuddin | [Google Scholar](#) Universitas Islam Negeri Alauddin
Makassar

Prapaporn Langputeh | [Google Scholar](#) Fatoni University

Indri Iswardhani, S.E., M.M. | [Google Scholar](#) Makassar State
University




Yusuf Sayin | [Google Scholar](#) Necmettin Erbakan University

**Prof. Dr. Romansyah Sahabuddin, M.Si. | [Google Scholar](#)
Makassar State University, Indonesia**

**Gamal Abdul Nasir Zakaria | [Google Scholar](#) Universiti Brunei
Darussalam**

**Dr. Zainal Ruma, S.Pd., MM. | [Google Scholar](#) Makassar State
University, Indonesia**



Published by : PT Maju Malaqbi Makkarana

Copyright of



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International](#)

Main Menu


[Home](#)

[Current Issue](#)

[Archives](#)

[Register](#)

[Login](#)



Economics and Business Journal (ECBIS)

Published by PT. Maju Malaqbi
Makkarana

Online ISSN 2963-7589



 / Peer Reviewer

Peer Reviewer

Prof. Dr. Hamid Saremi, Islamic Azad University of Iran 

Scopus: 56436131100

Samer Ali Al-shami, University Teknikal Malaysia Melak (UTeM) 

Scopus: 58110130000

Firdouse Rahman Khan, STIA Abudl Haris college, Indonesia 

Scopus: 57202074476

Dr. Hj. Siti Hasbiah, M.Si. Makassar State University 

Scopus: 57189241934

Indrayani, SE, MM, Ph.D, University of Batam 

Scopus: 57205061611

Dr. Rico Nur Ilham, SE., M.M.RSA.CPRM, Universitas Malikussaleh
Malaysia  *Scopus: 57213194163*

Ilma Wulansari Hasdiansa, SE., MM. Makassar State University 

Scholar



KEPUTUSAN DEKAN FAKULTAS TEKNOLOGI INFORMASI UNIVERSITAS BUDI LUHUR

NOMOR : K/UBL/FTI/000/002/09/25

TENTANG:

PENUGASAN KEGIATAN TRI DHARMA & PENUNJANG BAGI DOSEN FAKULTAS TEKNOLOGI INFORMASI UNIVERSITAS BUDI LUHUR SEMESTER GASAL TAHUN AKADEMIK 2025/2026

DEKAN FAKULTAS TEKNOLOGI INFORMASI UNIVERSITAS BUDI LUHUR

- Menimbang : 1) Bahwa Dosen adalah pendidik profesional dan ilmu dengan tugas utama mentrans-formasikan, mengembangkan, dan menyebarkan ilmu pengetahuan, teknologi, dan seni melalui pendidikan/pengajaran penelitian & karya ilmiah, dan Pengabdian pada masyarakat yang dikenal dengan istilah Tri Dharma Perguruan Tinggi;
- 2) Bahwa untuk meningkatkan profesionalitas dan kompetensi sebagai pendidik profesional maka dipandang perlu untuk memberikan tugas-tugas tambahan/penunjang dalam lingkup kegiatan penunjang Tri Dharma;
- Mengingat : 1) Undang – undang Republik Indonesia Nomor 12 Tahun 2012 tentang Pendidikan Tinggi;
- 2) Undang – undang Republik Indonesia Nomor 20 tahun 2003 tentang Sistem Pendidikan Nasional;
- 3) Peraturan Pemerintah Republik Indonesia Nomor 17 Tahun 2010 tentang Pengelolaan dan Penyelenggaraan Pendidikan;
- 4) Peraturan Menteri Riset, Teknologi, dan Pendidikan Tinggi Republik Indonesia Nomor 53 Tahun 2023 tentang Penjaminan Mutu Perguruan Tinggi;
- 5) Keputusan Ketua Yayasan Pendidikan Budi Luhur Cakti Nomor: K/YBLC/KEP/000/216/06/2023 tentang Statuta Universitas Budi Luhur;
- 6) SK YPBLC No: K/YBLC/KEP/000/020/01/24 tanggal 05 Januari 2024 tentang Pengangkatan Para Pejabat Struktural Universitas Budi Luhur Periode 2024-2028
- MEMUTUSKAN**
- Menetapkan :
PERTAMA : Menugaskan dosen-dosen Fakultas Teknologi Informasi Universitas Budi Luhur untuk melaksanakan kegiatan **Tri Dharma Perguruan Tinggi dan penunjangnya** pada Semester Gasal Tahun Akademik 2025/2026 yang meliputi:
- a. **Kegiatan partisipasi aktif** dalam Pertemuan Ilmiah sebagai Ketua/Anggota/Peserta/Pembicara/Penulis/Narasumber pada kegiatan Seminar, Workshop, Konferensi, Pelatihan, Simposium, Lokakarya, Forum Diskusi, Sarasehan dan sejenisnya;
- b. **Publikasi Ilmiah** pada Prosiding, Jurnal/majalah/surat kabar dan sejenisnya;
- c. **Partisipasi dalam organisasi** profesi, organisasi keilmuan dan/atau organisasi lain yang menunjang kegiatan Tri Dharma Pendidikan Tinggi;
- d. **Pengabdian Kepada Masyarakat (PPM)**, dalam kegiatan terprogram, terjadwal atau insidental;
- KEDUA : Dosen-dosen yang melaksanakan penugasan wajib membuat Laporan Kegiatan, dengan mengikuti pedoman dari Fakultas/Program Studi, sebagai pertanggungjawaban atas kegiatan yang diikuti;
- KETIGA : Kegiatan Tri Dharma yang tidak termasuk dalam surat keputusan ini akan memiliki penugasan tersendiri;
- KEEMPAT : Keputusan ini berlaku sejak tanggal ditetapkan dan akan diubah sebagaimana mestinya apabila di kemudian hari terdapat kekeliruan.

Ditetapkan di : Jakarta

Tanggal : 02 September 2025

Dekan Fakultas Teknologi Informasi



Dr. Ir. Achmad Solichin, S.Kom., M.T.I



**LAMPIRAN KEPUTUSAN DEKAN FAKULTAS TEKNOLOGI INFORMASI
UNIVERSITAS BUDI LUHUR**

NOMOR : K/UBL/FTI/000/002/09/25

**TENTANG:
PENUGASAN KEGIATAN TRI DHARMA & PENUNJANG BAGI DOSEN
FAKULTAS TEKNOLOGI INFORMASI UNIVERSITAS BUDI LUHUR
SEMESTER GASAL TAHUN AKADEMIK 2025/2026**

No	NUPTK	Nama	Program Studi
1	6356750651130093	ABDUL MUIS SOBRI	Teknik Informatika (S1)
2	5934758659137112	ACHMAD ADITYA ASHADUL USHUD	Teknik Informatika (S1)
3	4437767668130323	ACHMAD ARDIANSYAH	Teknik Informatika (S1)
4	7937760661130282	ACHMAD SOLICHIN	Ilmu Komputer (S3)
5	5454763664230162	AGNES ARYASANTI	Sistem Informasi (S1)
6	1947743644130112	AGUNG PRIHARTONO	Sistem Informasi (S1)
7	4652761662130272	AGUNG SAPUTRA	Teknik Informatika (S1)
8	8141761662130183	AGUS UMAR HAMDANI	Sistem Informasi (S1)
9	2636769670130302	AHMAD PUDOLI	Teknik Informatika (S1)
10	3955753654130082	AKHMAD UNGGUL PRIANTORO	Ilmu Komputer (S2)
11	1653757658130122	ANDY RIO HANDOKO	Teknik Informatika (S1)
12	1646766667130292	ANGGA KUSUMA NUGRAHA	Teknik Informatika (S1)
13	8947761662230262	ANITA DIANA	Sistem Informasi (S1)
14	0544751652130173	ANTON SATRIA PRABUWONO	Ilmu Komputer (S2)
15	4535772673130233	ANWAR RIFA'I	Teknik Informatika (S1)
16	5060770671130293	AQMAL MAULANA	Teknik Informatika (S1)
17	6647764665131142	ARI SAPUTRO	Manajemen Informatika (D3)
18	5239757658130173	ARIEF WIBOWO	Ilmu Komputer (S3)
19	0543756657130133	ARIF BRAMANTORO	Ilmu Komputer (S2)
20	4162753654131073	ARMAN YUSUF	Teknik Informatika (S1)
21	2533753654130132	ARSANTO NARENDRO	Teknik Informatika (S1)
22	5251757658130183	ASEP ABDUL ROHMAN	Sistem Informasi (S1)
23	7752762663237012	ATIK ARIESTA	Manajemen Informatika (D3)
24	3733759660130242	BASUKI HARI PRASETYO	Teknik Informatika (S1)
25	9846770671130352	BAYU SATRIA PRATAMA	Sistem Informasi (S1)
26	9551750651130082	BRURI TRYA SARTANA	Sistem Informasi (S1)
27	2555742643130063	BULLION DRAGON ANDAH	Sistem Informasi (S1)
28	3251756657130123	DARMAWAN BAGINDA NAPITUPULU	Ilmu Komputer (S2)
29	5560751652130083	DENI MAHDIANA	Sistem Informasi (S1)



No	NUPTK	Nama	Program Studi
30	8556757658137103	DENNI KURNIAWAN	Ilmu Komputer (S2)
31	3535770671130233	DEVIT SETIONO	Sistem Informasi (S1)
32	1542762663230293	DEWI KUSUMANINGSIH	Sistem Informasi (S1)
33	4454761662130162	DIAN ANUBHAKTI	Sistem Informasi (S1)
34	7637741642130122	DJATI KUSDIARTO	Sistem Informasi (S1)
35	2243767668130313	DOLLY VIRGIAN SHAKA YUDHA SAKTI	Teknik Informatika (S1)
36	4556758659231082	DWI PEBRIANTI	Ilmu Komputer (S2)
37	9560763664230232	DWI PUSPITA ANGGRAENI	Teknik Informatika (S1)
38	2155762663131103	FERDIANSYAH	Komputerisasi Akuntansi (D3)
39	3453751652130073	FX BIMA CAHYA PUTRA	Sistem Informasi (S1)
40	2538753654130102	GANDUNG TRIYONO	Sistem Informasi (S1)
41	9043744645130083	GATOT PURWANTO	Sistem Komputer (S1)
42	4751753654230082	GRACE GATA	Komputerisasi Akuntansi (D3)
43	0537746647130122	GUNAWAN PRIA UTAMA	Teknik Informatika (S1)
44	0740763664130282	HADIDTYO WISNU WARDANI	Teknik Informatika (S1)
45	5846747648130102	HARI SOETANTO	Ilmu Komputer (S3)
46	9838763664130292	HARIS MUNANDAR	Teknik Informatika (S1)
47	8857759660131082	HENDRI IRAWAN	Sistem Informasi (S1)
48	0652765666130282	HILLMAN AKHYAR DAMANIK	Teknik Informatika (S1)
49	4735758659130162	HUMISAR HASUGIAN	Sistem Informasi (S1)
50	0434764665230262	IKA SUSANTI	Teknik Informatika (S1)
51	8949771672130282	IKHSAN RAHDIANA	Teknik Informatika (S1)
52	3941771672130302	IMAN PERMANA	Sistem Komputer (S1)
53	7437754655230112	IMELDA	Teknik Informatika (S1)
54	7746771672230342	INDAH PUSPASARI HANDAYANI	Sistem Informasi (S1)
55	2654764665130222	INDRA	Teknik Informatika (S1)
56	7454765666130203	INDRA HERTANTO	Teknik Informatika (S1)
57	9950765666130302	INDRA NUGRAHA ABDULLAH	Ilmu Komputer (S2)
58	0537752653130122	IRAWAN	Sistem Komputer (S1)
59	6435760661230183	ITA NOVITA	Sistem Informasi (S1)
60	7734743644130092	JAN EVERHARD RIWUROHI	Ilmu Komputer (S3)
61	1944770671130422	JEREMY JONATHAN	Sistem Informasi (S1)
62	9456761662130143	JOKO CHRISTIAN	Manajemen Informatika (D3)
63	2935754655130132	JOKO SUTRISNO	Sistem Informasi (S1)
64	2851769670130282	KUKUH HARSANTO	Sistem Informasi (S1)
65	9849754655130112	LAUW LI HIN	Sistem Informasi (S1)



No	NUPTK	Nama	Program Studi
66	5460755656230082	LESTARI MARGATAMA	Teknik Informatika (S1)
67	6849759660131132	LIS SURYADI	Komputerisasi Akuntansi (D3)
68	3457756657130123	LUHUR BAYUAJI	Ilmu Komputer (S2)
69	1654747648130072	MARDI HARDJIANTO	Ilmu Komputer (S2)
70	8639765666237002	MARINI	Sistem Informasi (S1)
71	5540767668230303	MEPA KURNIASIH	Teknik Informatika (S1)
72	4562753654230103	MERRY ANGGRAENI	Teknik Informatika (S1)
73	2453748649130073	MOHAMMAD ANIF	Teknik Informatika (S1)
74	9248752653130093	MOHAMMAD SYAFRULLAH	Ilmu Komputer (S2)
75	0643760661230242	MOTIKA DIAN ANGGRAENI	Sistem Informasi (S1)
76	2961757659200032	MUFTI	Teknik Informatika (S1)
77	0333764665130313	MUHAMAD SALMAN ALFARISI	Manajemen Informatika (D3)
78	1961760661130172	MUHAMMAD AINUR RONY	Teknik Informatika (S1)
79	7050757658237093	NAWINDAH	Sistem Informasi (S1)
80	6050754655230123	NIDYA KUSUMAWARDHANY	Sistem Informasi (S1)
81	3547763664230252	NOFIYANI	Sistem Informasi (S1)
82	5037758659230233	NONI JULIASARI	Sistem Informasi (S1)
83	4847756657231432	NURWATI	Sistem Informasi (S1)
84	1834757658230202	PAINEM	Sistem Informasi (S1)
85	2543764665230232	PEPI PERMATASARI	Sistem Informasi (S1)
86	4554760661230252	PIPIN FARIDA ARIYANI	Teknik Informatika (S1)
87	4151756657130113	PURWANTO	Teknik Informatika (S1)
88	8540769670230272	PUTRI HAYATI	Teknik Informatika (S1)
89	2362766667131233	RAHMAT OKTAVIAN	Teknik Informatika (S1)
90	5947771672230352	RATNA KUSUMAWARDANI	Sistem Informasi (S1)
91	3537759660230223	RATNA UJIAN DARI	Sistem Informasi (S1)
92	4656758659230152	RETNO WULANDARI	Sistem Informasi (S1)
93	0949761662230182	REVA RAGAM SANTIKA	Teknik Informatika (S1)
94	0443759660230253	RIRI IRAWATI	Sistem Komputer (S1)
95	1660744645230082	RIRIT ROESWIDIAH	Teknik Informatika (S1)
96	1745767668230302	RISKIANA WULAN	Teknik Informatika (S1)
97	2959764665237002	RIZKA TIAHARYADINI	Teknik Informatika (S1)
98	4456766667130233	RIZKY PRADANA	Sistem Informasi (S1)
99	4943758659130162	RIZKY TAHARA SHITA	Teknik Informatika (S1)
100	6235757658230143	RUSDAH	Ilmu Komputer (S2)
101	6249760661230213	SAFITRI JUANITA	Sistem Informasi (S1)



UNIVERSITAS BUDI LUHUR

FAKULTAS TEKNOLOGI INFORMASI

KAMPUS PUSAT : Jl. Raya Ciledug, Petukangan Utara, Jakarta Selatan 12260

Telp : (021) 5853753 (Hunting) Fax : (021) 7471164, 5853752

Website : <http://www.budiluhur.ac.id>

No	NUPTK	Nama	Program Studi
102	4554753654230092	SAFRINA AMINI	Teknik Informatika (S1)
103	3444749650130102	SAMIDI	Ilmu Komputer (S2)
104	4261760661230183	SAMSINAR	Sistem Informasi (S1)
105	9937760661130262	SEJATI WALUYO	Teknik Informatika (S1)
106	0157741642130083	SETYAWAN WIDYARTO	Ilmu Komputer (S2)
107	0241752653237043	SRI MULYATI	Sistem Informasi (S1)
108	3542749650230153	SRI WAHYUNINGSIH	Sistem Informasi (S1)
109	0246748649131143	SUBANDI	Teknik Informatika (S1)
110	7944752653130152	SUBANDI	Teknik Informatika (S1)
111	5937767668130372	SYAMSUDIN ZUBAIR	Teknik Informatika (S1)
112	4549736637130032	TATANG WIRAWAN WISNUADJI	Sistem Komputer (S1)
113	5539750651131093	TEJA ENDRA ENG TJU	Sistem Informasi (S1)
114	7552757658230133	TITIN FATIMAH	Sistem Informasi (S1)
115	7449765666230222	TRI IKA JAYA KUSUMAWATI	Sistem Informasi (S1)
116	6447751652130113	UTOMO BUDIYANTO	Teknik Informatika (S1)
117	4639763664130282	WAHYU PRAMUSINTO	Manajemen Informatika (D3)
118	9252739640130053	WENDI USINO	Ilmu Komputer (S3)
119	4749764665137022	WINDARTO	Teknik Informatika (S1)
120	7854758659230162	WINDHY WIDHYANTY	Teknik Informatika (S1)
121	9758748649230072	WIWIN WINDIHASTUTY	Sistem Informasi (S1)
122	2257766667230243	WULANDARI	Sistem Informasi (S1)
123	7863755656130092	YANI PRABOWO	Sistem Komputer (S1)
124	3948765666230332	YESI PUSPITA DEWI	Sistem Informasi (S1)
125	0448750651130092	YUDI SANTOSO	Sistem Informasi (S1)
126	6945763664130252	YUDI WIHARTO	Teknik Informatika (S1)
127	4057766667230303	YULIANAWATI	Sistem Informasi (S1)
128	7061753654230083	YULIAZMI	Sistem Informasi (S1)
129	6952768669130332	ZAQI KURNIAWAN	Teknik Informatika (S1)

Ditetapkan di : Jakarta

Tanggal : 02 September 2025

=====

Dekan Fakultas Teknologi Informasi



Dr. Ir. Achmad Solichin, S.Kom., M.T.I